PD420.4 CEILING SERIES



4" 2-WAY PENDANT SPEAKER



(1) 0.75" (19mm) Aluminum Dome Tweeter

Excellent sound quality coupled with unique modern design and easy installation makes the PD420 ideal for a wide variety of applications including retail, restaurants, malls, hotels, fitness centers, exhibit spaces, conference rooms, atriums, museums, and other high open-ceiling applications. Available in standard black and a variety of custom color choices to accent your furnishings. The PD420 is perfect for situations where background music is needed but ceiling mounting is prohibitive. The PD420 includes a mounting system for easy and secure suspension in open-ceiling applications.

Custom colors are available at an additional charge, please allow 2-3 weeks lead time for delivery. If you can imagine it, we can build it!

Size 4.75 x 4.75 x 11 d (in)

120.7 x 120.7 x 279.4 d (mm)

Freq Response 80Hz-20kHz±3dB

Impedance 4 ohms Sensitivity 88dB 2.83V / 1m

Power reg. 25-100W Woofer (1) 4" (102 mm) Aluminum Tweeter (1) 0.75" (19 mm) Aluminum

Finishes Studio Black or Custom Finish



Eye bolt for hanging pendant speakers shown above.



10 additional stock colors are available. Custom colors, please allow 2-3 weeks lead time for delivery.



2185 Park Place, Minden, NV 89423 Ph: 775-461-7500 www.jamesloudspeaker.com

PD420.70 CEILING SERIES



4" 2-WAY 70V PENDANT SPEAKER



Excellent sound quality coupled with unique modern design and easy installation makes the PD420.70 ideal for a wide variety of applications including retail, restaurants, malls, hotels, fitness centers, exhibit spaces, conference rooms, atriums, museums, and other high open-ceiling applications. Available in standard black and a variety of custom color choices to accent your furnishings. The PD420.70 is perfect for situations where background music is needed but ceiling mounting is prohibitive.

The PD420.70 includes a built in 70V low distortion toroidal transformer and crossover network, making them easy to integrate into all James speaker systems.

Custom colors are available at an additional charge, please allow 2–3 weeks lead time for delivery. If you can imagine it, we can build it!

Size 4.75 x 4.75 x 11 d (in)

120.7 x 120.7 x 279.4 d (mm)

Freq Response 80Hz-20kHz±3dB

Impedance 70V

Sensitivity 88dB 2.83V / 1m
Power req. 70V (50W Transformer)
Woofer (1) 4" (102 mm) Aluminum
Tweeter (1) 0.75" (19 mm) Aluminum
Finishes Studio Black or Custom Finish



2185 Park Place, Minden, NV 89423 Ph: 775-461-7500 www.jamesloudspeaker.com



Eye bolt for hanging pendant speakers shown above.



10 additional stock colors are available. Custom colors, please allow 2-3 weeks lead time for delivery.

PD620.4 CEILING SERIES



6.5" 2-WAY PENDANT SPEAKER



(1) 1" (25mm) Aluminum Dome Tweeter

Excellent sound quality coupled with unique modern design and easy installation makes the PD620 ideal for a wide variety of applications including retail, restaurants, malls, hotels, fitness centers, exhibit spaces, conference rooms, atriums, museums, and other high open-ceiling applications. Available in standard black and a variety of custom color choices to accent your furnishings. The PD620 is perfect for situations where background music is needed but ceiling mounting is prohibitive.

Custom colors are available at an additional charge, please allow 2-3 weeks lead time for delivery. If you can imagine it, we can build it!

Size 6.8 h x 6.8 w x 10.5 d (in)

173 h x 173 w x 267 d (mm)

Freq Response 70Hz-20kHz±3dB

Impedance 4 ohms Sensitivity 90dB 2.83V / 1m

Power reg. 25-150W

Woofer (1) 6.5" (165 mm) Aluminum Tweeter (1) 1" (25 mm) Aluminum Finishes Studio Black or Custom Finish



Eye bolt for hanging pendant speakers shown above.



10 additional stock colors are available. Custom colors, please allow 2-3 weeks lead time for delivery.



2185 Park Place, Minden, NV 89423 Ph: 775-461-7500 www.jamesloudspeaker.com

CONTEMPORARY STYLE

PD620.70 CEILING SERIES



6" 2-WAY 70V PENDANT SPEAKER



(1) 0.75" (19mm) Aluminum Dome Tweeter

Excellent sound quality coupled with unique modern design and easy installation makes the PD620.70 ideal for a wide variety of applications including retail, restaurants, malls, hotels, fitness centers, exhibit spaces, conference rooms, atriums, museums, and other high open-ceiling applications. Available in standard black and a variety of custom color choices to accent your furnishings. The PD620.70 is perfect for situations where background music is needed but ceiling mounting is prohibitive.

The PD620.70 includes a built in 70V low distortion toroidal transformer and crossover network. making them easy to integrate into all James speaker systems.

Custom colors are available at an additional charge, please allow 2–3 weeks lead time for delivery. If you can imagine it, we can build it!

Size 6.8 h x 6.8 w x 10.5 d (in)

173 h x 173 w x 267 d (mm)

Freq Response 70Hz-20kHz±3dB

Impedance 70v

Sensitivity 90dB 2.83V / 1m Power reg. 70V (100W Transformer)

Woofer (1) 6.5" (165 mm) Aluminum Tweeter (1) 1" (25 mm) Aluminum

Finishes Studio Black or Custom Finish



2185 Park Place, Minden, NV 89423 Ph: 775-461-7500 www.jamesloudspeaker.com



Eye bolt for hanging pendant speakers shown above



10 additional stock colors are available. Custom colors, please allow 2-3 weeks lead time for delivery.

CONTEMPORARY S