



# ICE Cable Systems

Product Catalog

High-performance low-voltage wire and cable.

3rd Edition

# CONTENTS

## INNOVATIONS

|  |    |
|--|----|
| Welcome to ICE .....                           | 2  |
| Does Buying Premium Cable Really Matter? ..... | 3  |
| Big Mouth Payout Box .....                     | 4  |
| HDMI Technology .....                          | 6  |
| REELEX Technology.....                         | 8  |
| Cable Technology .....                         | 10 |
| The Cable Foundation .....                     | 12 |
| Standards and Performance .....                | 13 |
| How It's Made .....                            | 14 |

## PRODUCT HIGHLIGHTS

|  |    |
|--|----|
| Data / Category Cable.....               | 16 |
| Cat 7 .....                              | 17 |
| HDBaseT Certified Cable.....             | 18 |
| PRIMAL Cable.....                        | 19 |
| Speaker Cable .....                      | 20 |
| Coaxial Cable.....                       | 21 |
| Alarm Wire and Audio Cables .....        | 22 |
| Structured Wiring / Bundled Cables ..... | 23 |
| Automation Cables and Fiber Optics ..... | 24 |
| Lutron Cables .....                      | 25 |
| Clear Series 2 Ultra Thin HDMI .....     | 26 |
| Field Terminable HDMI .....              | 27 |
| Flexible Conduit.....                    | 28 |
| Audio Video Cables.....                  | 29 |
| Prewire Accessories .....                | 30 |
| Wall Plates and Trim.....                | 31 |
| Competitor Cross Reference.....          | 32 |
| Contact ICE .....                        | 33 |





**Brian Rizzo**  
CEO and Founder of ICE Cable Systems

## Welcome to ICE

We have the same level of passion for wire and cable products that many hold for their audio and video components. Founded in 2004 by president Brian Rizzo and headquartered in Los Angeles, we're a leading manufacturer of premium low-voltage wire and cable products. Our warehouses are located in Los Angeles and Pennsylvania and we inventory a complete lineup of cable and accessories including: data, speaker, coaxial, alarm, structured, fiber, control and automation cable. The channels we serve include Residential and Commercial Audio Video, Alarm and Security, Electrical Contracting and Data Centers.

## The ICE Advantage

ICE primarily focuses on three main categories - Bulk Cable, HDMI Cable, and Compression Connectors, although we offer a lot more than that. In each of these product categories you'll notice a consistent theme. That is, we build superior products with a number of time saving and performance enhancing innovations which represents a state-of-the-art offering in each category. The key is that we offer these products for the same or less money than the competition. That's what ICE is all about; we give you the good stuff for the price of the generic stuff.

## Building Better Products

We understand what you do. We know what it's like to walk in your shoes and that's driven us to create product innovations that make your installations faster, more efficient and hassle-free. In addition, all of our products are carefully engineered to strict standards and specifications enhancing reliability and performance. We keep you working when other products slow you down. The result? Products that are different and better in every way possible.

## Get the Products You Need Fast

ICE Cable Systems is one of the few suppliers to offer a complete one-stop-shopping solution with a wide, varied and exciting selection of products. Integrators can buy ICE directly from us or our vast network of distributors in the United States and around the world. With over 50 distributors, you can expect same-day or next-day delivery no matter where you're located. If you're buying directly from us, we can reach any US destination in 2 days or less.

**Welcome to ICE. We think you'll be impressed.**

Brian Rizzo  
CEO and Founder

# Does Buying Premium Cable Really Matter?

## Definitely. Here's Why...

Copper shaving is the number one technique manufacturers use to save money on cable. High copper prices have pressured manufacturers into keeping prices low. In response, they cut corners on the product, resulting in compromised cable. Many of these cables are not UL listed or have fake UL listings and are a major safety hazard. In short, they are destroying the performance and safety to save a buck. ICE builds your product to full specification and we go a step further by adding time-saving innovations while maintaining aggressive prices.

- ▶ **Copper shaving equals compromised performance**
- ▶ **Fake UL products equals safety hazards**
- ▶ **Many other tactics that rob you and your customers**
- ▶ **Why put your reputation on the line to save money?**

## 3 Reasons Why Using ICE Cable Will Save You Time and Money.

### Properly Built Cable

Our cables are built to full spec using the proper amount of copper and compounds. With ICE, you get full performance and safety along with the peace of mind that comes with getting what you pay for.

- ▶ **Cables built with the proper amount of copper**
- ▶ **All cables are UL or ETL listed for guaranteed safety**
- ▶ **Full performance required by today's equipment**

### Intelligent Cable Design

Faster pulling boxes and easier stripping cables are just two examples of how we help you reduce labor costs and save money. Our product innovations are designed to save you money on soft costs.

- ▶ **Reduce soft costs on labor**
- ▶ **Smarter solutions for easier installs**
- ▶ **Save even more with inventory consolidation**

### Below Market Pricing

We know the competition so you don't have to. When compared to other legitimate manufacturers of wire and cable, ICE is less expensive. We call this "Below Market Pricing". Now you can get the good stuff and save money, too.

- ▶ **Less expensive than the "Big Guys"**
- ▶ **Save money without sacrificing product quality**
- ▶ **Competitive freight and buying programs**



# The Pull Box. Done Right.


Less hassle. More productivity.

Spend more time working. Our Big Mouth Payout and unique cable winding pattern makes for easier pulls and less hassle. Other features such as reinforced handles, water resistant paper laminate and newly up-graded 24kg burst test cardboard, make this the most solidly built box in the industry.

Try it once and you'll never go back.



## Features



### Big Mouth Payout

Our 4-inch payout hole results in free flowing cable; eliminating kinks, knots, tangles and other pulling problems.

- ▶ Significantly improves LAN cable performance
- ▶ Faster and smoother payout of all cables
- ▶ Used on all boxed bulk wire and cable

### Cable Winding Pattern

Save time where you least expect it. Combined with our BMP payout hole, our unique cable wind means less time hassling with wire and more time working.

- ▶ Increases the bend radius of all cables
- ▶ Significantly improves LAN cable performance
- ▶ Faster and smoother payout of all cables




### 24kg Burst Test Cardboard



Translation?  
Really. Strong. Cardboard.

- ▶ Holds up to job site abuse
- ▶ Lasts longer under tough conditions


### Dual Reinforced Handles



Double-layer reinforcements mean the days of ripping your handles are over.

- ▶ Maintains box integrity
- ▶ Tougher, stronger and more rugged

### Water Resistant Paper Laminate



Protects the box from water damage and prevents “soggy cardboard.”

- ▶ Keeps the cable dry
- ▶ Keeps the box pulling



# HDMI. Done Right.

GRIP Lock Technology. Inspiring, yet Completely Simple.

With GRIP Lock technology, ultra-compact head design and 100ft performance, we’ve crafted the ultimate HDMI Cable. Our Clear Series 2 ranges from .5m to 30m and features 12 pounds of connector pull force, ensuring your connection stays secure and protected. This means: reliable installations, fewer service calls, the elimination of baluns and state-of-the-art performance.

This is a wish list of HDMI cable technology at extremely competitive prices.



## Clear Series 2 HDMI Features



### GRIP Lock Technology

Special springs on the HDMI plug provide a secure grip to the female connector. The result? Over 3x the strength found in conventional HDMI connectors, giving you the most stable connection possible. No screw hole. No push release.

### Compact Head Design

At only 21mm long, our Series 2 cable is now 40% shorter than our previous model. We also reduced the width and made it thinner, giving you easier access in tight spaces.

### 4K 30hz to 30 Meters / 100 Feet

Active chipsets and advances in cable technology have allowed us to achieve 4K 30hz all the way out to 100 feet. This gives you a direct connection between your source and display, eliminating unnecessary connection points versus a standard balun setup.

### The Perfect Tension

At 12lbs of pull force, the connector won’t come out with normal use. But if your TV falls off the wall, it will pull free, leaving your equipment undamaged. Other locking HDMI cables have way too much pull force, or even a screw, which can result in damage to your TV.

## Beautifully Slim Packaging

A gorgeous design, resealable opening, easy to read information, and display hangholes make our HDMI packaging ideal for the retail showroom. A tough, durable plastic material with a glossy coating which protects against water damage means it's also ideal for the jobsite, truck, or van.



# REELEX Technology

The Technology Behind Our Big Mouth Payout Box.

REELEX is a patented winding technology used inside all ICE BMP boxes. REELEX uses a combination of custom-designed machines and software that allows cable coils to pull from the inside out without any rotation of the bundle.

The result? A fluid and smooth payout – void of any twists, kinks, knots or tangles.

## The REELEX II Coil

This coil focuses on increasing pull performance by featuring a larger payout hole. REELEX II cables have a more direct payout path and require less bending while dispensing.



## REELEX - The Industry’s #1 Stamp of Approval

Much like the famous Intel Inside® logo, the REELEX Packaging System® logo gives consumers ultimate satisfaction knowing your product was made and inspected for guaranteed performance.


Reelex Trademark Logo

# Battling Counterfeit Cable with Innovation

## The Dangers of Knock-Off Boxes...

Lack of precision in knock-off products cause loops to form on either side of the tube allowing for errors to occur during payout. This paired with small tube payouts can put undue stress on the cable causing performance to suffer.

- Loops, twists and tangles that slow you down
- Knots - your worst enemy
- Extreme stress during payout



## REELEX Machinery

True figure-eight REELEX coils can only be produced on specially-designed REELEX machines. The best pulling coils in the industry are made on these machines – the kind used by ICE in our BMP box.



## Customized Coils

Winding a REELEX coil is an extremely complex operation; which is why the electrical and mechanical components of the machine are designed to run in complete harmony. Coils can be fine tuned for any cable type.



# Better in Every Way Possible...

### Direct Burial Ratings

Our 10, 12, 14 and 16 gauge FX Series speaker cables are Direct Burial rated, saving you the money and hassle of having to buy two different cables for indoor/outdoor applications. This means less inventory for you to buy and stock in your trucks.

### Rip Cord


All of our cables have rip cords, to make the cables as easy to strip as possible. This is one area where many manufacturers try to cut corners.

### Wet Slick Jackets

The special PVC compound gives the cable a shiny look and a slick feel, resulting in less friction, easier pulls and more flexibility than a regular, chalky PVC jacket. It costs more to build, but it's worth it. Once you use it, you'll never go back to regular PVC.

### EZ Strip Tissue

This gives you faster stripping speaker cable. Have you ever stripped a PVC jacket in warm weather? The jacket sticks and it can be quite an exercise. We place a thin layer of tissue around the conductors and under the outer jacket. Once the jacket is scored, it slides off easily, with no effort.



### iLabel Print Legend

iLabel is a print legend to help you identify and pre-mark your cable for each ROOM, WALL and JACK location – and it's printed on every one of our cables. The location and application information can be circled with a Sharpie. Each room is designated with an abbreviation that tells you specifically where the cable is going (ie. BR1, GAR, KIT, etc.).

### Ascending / Descending Foot Markers

Less scrap! Our foot markers show how much cable has been used and how much is left - before you pull the cable. This reduces waste and helps you make use of all the cable in each box or spool. Foot markers are printed every 2 feet on our cables.

### Round Jackets

To help you avoid snags when pulling cable, we've made our jackets as round as possible. Lesser designs require filler material to achieve this, and that makes the cables more expensive and messy when stripping. We avoid fillers entirely and replace them with good, solid engineering.

### Oxygen Free Copper

We use Oxygen Free Copper (OFC) in our FX Series speaker cables to ensure premium sound quality in your systems. Higher purity copper means better low level signal transmission and great sound.



# The Cable Foundation

Building cable to the optimal safety and performance specifications is the foundation of what we do.

## Building it the Right Way

Our starting point as a company is that everything we build is made to the proper specification. This means if your Cat5e is supposed to have .51mm of copper, it has .51mm of copper. For us, it's all about safety and performance. Cables that are properly built are safer and perform better. With all-time highs in the copper market, massive amounts of pressure have been put on cable factories to keep prices low and stay competitive. In response, many factories cut corners to save money - but not at ICE. Wire and cable is the structural backbone of your systems. While there are many good places to save money on an installation, core infrastructure is not one of them. Once connected, electronic equipment requires a certain level of cable performance in order to function as the manufacturer intended. **When you compromise the cable, you never know what you're going to get.**



## Rolling the Dice

We've seen many systems fail from the use of compromised cable. With system failure a possibility, you can see the importance of using properly built cable.

## How Does this Happen?

Copper is expensive. Shaving copper - the practice of using less copper than is required, is the number one technique used by most manufacturers. Other deceptive tactics to save money include using non-UL compounds and foot markers shorter than one foot. That's just for starters.




## The Sure Thing

All of ICE's cables are UL or ETL listed and RoHS compliant. We use full copper and flame retardant compounds, so you can be certain your cables will perform as advertised and your installations are safe. Now you can have full confidence that you're getting the good stuff.

# Standards and Performance

Here's what you need to know about ICE's safety compliance.

## UL and ETL




All of our cables are UL or ETL Listed, except for SKU's built for the international market that don't carry the requirement. UL and ETL are testing and regulatory organizations that ensure compliance with a growing list of requirements that protect consumers and their property against a range of issues. Some of these issues include: electric shock, burns and electric arcing.

## RoHS Compliant Cable



Customers want more sustainable products. ICE satisfies this by offering only environmentally friendly cable that is fully RoHS compliant. RoHS is the European standard for the restriction of hazardous substances, such as lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyls and polybrominated diphenyl ethers. This is further assurance that the products we sell are manufactured responsibly.

## NEC Reference Chart



## HDMI Performance

| Length | Bandwidth (Gbps) | Compression | 4K Limit | Deep Color |
|--------|------------------|-------------|----------|------------|
| 0.5m   | 48 (Passive)     | 4:4:4       | 60Hz     | 36 Bit     |
| 1m     | 24 (Passive)     | 4:4:4       | 60Hz     | 36 Bit     |
| 2m     | 12 (Passive)     | 4:2:0       | 60Hz     | 36 Bit     |
| 3m     | 8 (Passive)      | 4:2:0       | 60Hz     | 24 Bit     |
| 5m     | 10 (Passive)     | 4:2:0       | 30Hz     | 30 Bit     |
| 7.5m   | 7 (Passive)      | 4:2:2       | 30Hz     | 36 Bit     |
| 10m    | 5 (Passive)      | 4:2:0       | 30Hz     | 30 Bit     |
| 15m    | 6.7 (Active)     | 4:2:2       | 30Hz     | 36 Bit     |
| 23m    | 5 (Active)       | 4:2:0       | 30Hz     | 30 Bit     |
| 30m    | 5 (Active)       | 4:2:0       | 30Hz     | 30 Bit     |

# BEHIND THE CURTAIN


A LOOK AT HOW  
WE BUILD BETTER  
WIRE AND CABLE

In 2004, ICE was born. We were the new guy on the block and we partnered with numerous factories in the USA to make our cable. We grew quickly and soon attempted to make many of the innovations we now offer, but ran into a brick wall. The US factories were rigid and primarily concerned with keeping their production lines running to service the big guys. A byproduct of their rigidity was product sameness and a complete lack of innovation. To build it right, we had to do it ourselves.

In 2006, we took our designs to China and partnered with some of the most advanced wire and cable factories in the world. It took two or more US factories to build what one of ours could do. These factories featured state-of-the-art machinery, engineering, full UL compliance and were eager to learn. The attitude was refreshing. At each stage in the manufacturing process, we hand picked each of our key suppliers who could deliver on the innovations we build. This allowed us to have 100% control over the features and quality of the product you know today.

The manufacturing process is like a symphony, there are a lot of moving parts and timing is everything. The manufacturer has to partner with numerous outside companies to secure all of the raw materials, including vendors for copper, cardboard boxes, spools, packaging materials and many types of specialized compounds. For ICE, these vendors have special, custom-built materials that have to be made and shipped on time in order for things to flow. Extensive testing and quality control procedures are then required to ensure the final product will meet our specifications.

This is just the beginning. Once built, the cable has to go through a long trip from China to the United States and there are lots of steps involved before the product lands on our shores. After many years of driving the design, manufacturing and supply chain process, the act of building and shipping the industry's best wire is down to a science. The result is a product that's a cut-above what's being built in the United States.





# Data / Category Cable

We have the Data cables you’re looking for such as Non-Plenum, Plenum, Shielded, Direct Burial and more. In addition to our complete line of ICE Category cables, we introduced Primal Cable, which includes premium features priced for the economy.

## Using the Right Amount of Copper

Copper shaving is the #1 technique manufacturers use to save money on Cat 5e cable. With ICE, you get what you pay for. Our Category cables are built to the full specification using the proper amount of copper. The right spec means the right performance. Best for all Cat 5e applications including HDBaseT and the most critical bandwidth intensive purposes.



## Maintain Spec with the Proper Dispenser

Too much tension in the pull box will cause Category cables to lose their performance and fall “out of spec”. Our BMP box features a special wind, the proper tension and a larger bend radius so you get FULL performance from your Category cables.



| Item                   | Description   | Color | Put-Ups                          | Length        |        |
|------------------------|---|-------|----------------------------------|---------------|--------|
| Cat 5e 350mhz          | 24awg, 4 Pair, Solid, 350mhz, HDBaseT Certified                     |       | Wh/Blue/Gray/Red/Ylw/Grn/Blk     | BMP Box       | 1000Ft |
| Cat 5e Plenum          | 24awg, 4 Pr, Solid, 350mhz, Plenum, HDBaseT Certified               |       | White/Blue/Gray/Black            | BMP Box       | 1000Ft |
| Cat 5e Shielded        | 24awg, 4 Pair, Solid, 350mhz, Shielded, HDBaseT Certified           |       | Blue                             | BMP Box       | 1000Ft |
| Cat 5e Outdoor         | 24awg, 4 Pair, Solid, Sun Resistant, Type CMX, HDBaseT Certified    |       | Black                            | BMP Box/Spool | 1000Ft |
| Cat 5e Direct Burial   | 24awg, 4 Pair, Solid, Sun Resistant & Gel-Filled, HDBaseT Certified |       | Black                            | BMP Box       | 1000Ft |
| Cat 5e InPhase         | 24awg, 4 Pr, Low-Skew Category Cable                                |       | Black                            | BMP Box       | 1000Ft |
| Cat 5e Siamese         | (2) Cat 5e 350mhz, Siamese, HDBaseT Certified                       |       | White and Blue                   | Spool         | 1000Ft |
| Cat 5e x 4             | (4) Cat 5e 350mhz in an Overall Jacket                              |       | Green                            | Spool         | 500Ft  |
| Cat 6 550mhz           | 23awg, 4 Pr, Solid, 550mhz (w/spine), HDBaseT Certified             |       | Blue/Gray/White/Yellow/Blk/Green | BMP Box       | 1000Ft |
| Cat 6 Plenum           | 23awg, 4 Pr, Solid, 550mhz (w/spine), Plenum, HDBaseT Certified     |       | Blue/Gray/White/Yellow/Blk/Green | BMP Box       | 1000Ft |
| Cat 6 Shielded         | 23awg, 4 Pr, Solid, 550mhz (w/spine), Shielded, HDBaseT Certified   |       | Gray                             | Spool         | 1000Ft |
| Cat 6 Outdoor          | 23awg, 4 Pr, Solid, Sun Resistant, Type CMX, HDBaseT Certified      |       | Black                            | Spool         | 1000Ft |
| Cat 6 Direct Burial    | 23awg, 4 Pr, Solid, UV Resistant & Gel-Filled, HDBaseT Certified    |       | Black                            | Spool         | 1000Ft |
| Cat 5e Plenum Shielded | 24awg, 4 Pair, Solid, 350mhz, Shielded, Plenum Rated                |       | Black/Blue                       | BMP Box       | 1000Ft |
| Cat 6 Plenum Shielded  | 23awg, 4 Pr, Solid, 550mhz (w/spine), Shielded, Plenum Rated        |       | Black/Blue                       | BMP Box       | 1000Ft |
| Cat 6A                 | 23awg, 4 Pr, Solid, 10 Gig Ethernet, 500mhz, HDBaseT Certified      |       | White/Blue/Gray/Black            | Spool         | 1000Ft |
| Cat 7 LSZH             | 23awg, 4 Pair, Solid, Braid Shield over STP, LSZH, 600mhz           |       | Blue                             | Spool         | 1000Ft |
| Cat 7                  | 23awg, 4 Pair, Solid, Braid Shield over STP, CMR Rated, 600mhz      |       | Blue                             | Spool         | 1000Ft |

# Featuring Cat 7 Cable



## The Future of Cable

ICE Cat 7 takes signal integrity to a new level with our new dual layered Aluminum Braid + Foil Shield Cable. Its increased bandwidth gives you serious performance over both Cat 6 and Cat 6a.

- ▶ Up to 600mhz max bandwidth
- ▶ 20% more bandwidth than Cat 6A and more than double Cat 6
- ▶ Up to 10Gbps Speeds
- ▶ Individual and Overall Shields for Superior Noise Rejection
- ▶ Cat 7 is UL / CMR Listed
- ▶ Cat 7 LSZH has Low Smoke Zero Halogen Construction

### Applications

- ▶ 10Gbps Networks
- ▶ 4k HDBaseT
- ▶ 4k Baluns
- ▶ High-End Digital Control

### Double Shielding

The aluminum braid is designed to deflect interference from high voltage sources, while the foil shield protects high bandwidth frequencies.

### Cable That's One Step Ahead

As video signals become increasingly demanding Cat 6a will struggle to keep pace. Cat 7 gives you more flexibility for a future with higher bandwidth signals.

Stay ahead of the game. Future proof your installs by creating an expandable and flexible Cat 7 cabling system.



# HDBaseT Certified Cat 5e, Cat 6 and Cat 6a

Featuring HDBaseT certification, Tangle-free box technology, UL Listing and ETL performance verification. This is as good as it gets.



## Certified Cat 5e, Cat 6 and Cat 6a

Isn't it nice when it just works? We agree. It's why you use HDBaseT and why we had our cables certified. It comes down to guaranteed performance.

### GUARANTEED MINIMUM PERFORMANCE

| Resolution | Type of HDBaseT Chipset                       |                                 |   |
|------------|---|---------------------------------|---|
|            | Class A (VS1000)                              | Class B (VS010)                 | Class C (VS2310)                              |
| 1080P      | Cat 5e/Cat 6/Cat 6A/Cat 7<br>Up to 100 Meters | Cat 5e/Cat 6<br>Up to 60 Meters | Cat 5e/Cat 6/Cat 6A/Cat 7<br>Up to 100 Meters |
|            |   | Cat 6A/Cat7<br>Up to 70 Meters  |   |
| 4K         | Cat 5e/Cat 6<br>Up to 70 Meters               | Cat 5e/Cat 6<br>Up to 35 Meters | Cat 5e<br>Up to 90 Meters                     |
|            | Cat 6A/Cat7<br>Up to 90 Meters                | Cat 6A/Cat7<br>Up to 40 Meters  | Cat 6/Cat 6A/Cat7<br>Up to 100 Meters         |




## Certification - What it means for you.

With cable certification, you can sleep well knowing your installation is ensured to have full product interoperability and compliance. Transmit 100m with a single hop and up to 800m with 8 hops. When you need it done right, copper-shaven Cat 5e won't cut it. Welcome to the good stuff.

# HDBaseT 5Play. 5 Connections on 1 Cable.

5Play™ is the cornerstone of HDBaseT technology. It allows you to send uncompressed full HD video, multi-channel audio, 100 BaseT ethernet, power and various control signals through a single Cat 5e / 6 cable. Even more amazing, you can send all 5 signals over 100 feet with a single Cat 5e cable. You can also send 4K video over 100 meters on a single Cat 6 cable.



# Primal Cable

Inexpensive cable does not have to be “cheap”. The problem with cheap cable is that it costs you time and doesn't perform, forcing installers to regularly throw out wire in frustration. Not anymore.



## Premium Features, Priced for the Economy.

Primal Cable offers you a tangle-free box design and cable wind - on a budget. It's the perfect solution for inexpensive cable that pulls well. Now get 100% of the cable from your boxes.

- ▶ ETL Listed
- ▶ Big Mouth Payout Technology
- ▶ Better Box and Wind
- ▶ Multiple Colors Available

| Item          | Description                              | Color                            | Put-Ups | Length |
|---------------|--|----------------------------------|---------|--------|
| Primal Cat 5e | 24awg, 4 Pair, Solid, 350mhz             | Blue/White/Yellow/Green/Gray/Blk | BMP Box | 1000Ft |
| Primal Cat 6  | 23awg, 4 Pr, Solid, 550mhz (w/spine)     | Wt/Blue/Gray/Ylw/Grn/Blk/Orange  | BMP Box | 1000Ft |
| Primal 16-2   | 16awg, 2 Cond, Entry Level Speaker Cable | White                            | BMP Box | 1000Ft |
| Primal 16-4   | 16awg, 4 Cond, Entry Level Speaker Cable | White                            | BMP Box | 500Ft  |
| Primal 14-2   | 14awg, 2 Cond, Entry Level Speaker Cable | White                            | BMP Box | 500Ft  |
| Primal 14-4   | 14awg, 4 Cond, Entry Level Speaker Cable | White                            | BMP Box | 500Ft  |

| Features         |                                   |        | Compliance |                  |                  |                   |
|------------------|-----------------------------------|--------|------------|------------------|------------------|-------------------|
| Big Mouth Payout | Ascending Descending Foot markers | iLabel | ETL Listed | CMR/CMP<br>Rated | FT4/FT6<br>Rated | RoHS<br>Compliant |

# Speaker Cable

Our Reference Series speaker cables feature all of our best technologies. This is your go-to speaker cable. The Celsius Series is designed for applications in which the thinnest possible cable is required - such as conduit. Check out the guide below to see the features offered by each series.



## Reference Series

| Item   | Description  | Color | Put-Ups                   | Length |
|--------|--|-------|---------------------------|--------|
| 16-2FX | 16gauge, 2 Cond, Direct Burial, 65 Strand, Wet Slick, OFC  |       | White/Black CoffeeBMP Box | 500Ft  |
| 16-4FX | 16gauge, 4 Cond, Direct Burial, 65 Strand, Wet Slick, OFC  |       | White/Black/BlueBMP Box   | 500Ft  |
| 14-2FX | 14gauge, 2 Cond, Direct Burial, 105 Strand, Wet Slick, OFC |       | White/BlackBMP Box        | 500Ft  |
| 14-4FX | 14gauge, 4 Cond, Direct Burial, 105 Strand, Wet Slick, OFC |       | White/BlackBMP Box        | 500Ft  |
| 12-2FX | 12gauge, 2 Cond, Direct Burial, 65 Strand, Wet Slick, OFC  |       | WhiteBMP Box              | 500Ft  |
| 12-4FX | 12gauge, 4 Cond, Direct Burial, 65 Strand, Wet Slick, OFC  |       | WhiteSpool                | 500Ft  |
| 10-2FX | 10gauge, 2 Cond, Direct Burial, 105 Strand, Wet Slick, OFC |       | BlackSpool                | 500Ft  |

## Celsius Series

| Item        | Description   | Color | Put-Ups            | Length |
|-------------|---|-------|--------------------|--------|
| 16-2CS      | 16ga., 2 Cond, 65 Strand, Reduced Jacket Wall Thickness |       | WhiteBMP Box       | 500Ft  |
|             | 16ga., 2 Cond, 65 Strand, Reduced Jacket Wall Thickness |       | WhiteBMP Box       | 1000Ft |
| 16-4CS      | 16ga., 4 Cond, 65 Strand, Reduced Jacket Wall Thickness |       | WhiteBMP Box       | 500Ft  |
| 18-2CS      | 18ga., 2 Cond, 41 Strand, Reduced Jacket Wall Thickness |       | WhiteBMP Box       | 1000Ft |
| 18-4CS      | 18ga., 4 Cond, 41 Strand, Reduced Jacket Wall Thickness |       | WhiteBMP Box       | 500Ft  |
| 16-2 Plenum | 16gauge, 2 Cond, 26 Strand, Plenum Rated                |       | White/BlackBMP Box | 1000Ft |
| 16-4 Plenum | 16gauge, 4 Cond, 26 Strand, Plenum Rated                |       | White/BlackBMP Box | 500Ft  |
| 14-2 Plenum | 14gauge, 2 Cond, 19 Strand, Plenum Rated                |       | White/BlackBMP Box | 500Ft  |
| 14-4 Plenum | 14gauge, 4 Cond, 19 Strand, Plenum Rated                |       | White/BlackBMP Box | 500Ft  |
| 12-2 Plenum | 12gauge, 2 Cond, Plenum Rated                           |       | White/BlackSpool   | 500Ft  |
| 18-2 Plenum | 18gauge, 2 Cond, Plenum Rated                           |       | White/BlackBMP Box | 1000Ft |

Features

FX / CS

Big Mouth Payout

FX

Wet Slick Jackets

FX

Direct Burial Ratings

FX

EZ Strip Tissue

FX

Oxygen Free Copper

FX/CS

Ascending Descending Foot Markers

FX/CS

iLabel

FX

Round Jackets

Compliance

CL3 / CL3P


Rated

FT4 / FT6

Rated

# Coaxial Cable

We carry a wide variety of coaxial cables including Non-Plenum, Plenum, Direct Burial and Siamese. To find out which connector works best with your cable, check out the “Connector Pairing” column on the chart below.



| Item                      | Description   | Color             | Connector Pairing          | Put-Ups | Length |
|---------------------------|---|-------------------|----------------------------|---------|--------|
| RG-6 Dual Shield          | 18awg, Dual Shield, Swept to 3.0ghz                       | White/Black       | F 6U/Q, RCA 6U/Q, BNC 6U/Q | BMP Box | 1000Ft |
| RG-6 Dual Shield Plenum   | 18awg, Dual Shield, CCS, Plenum                           | White             | F 6U/Q, RCA 6U/Q, BNC 6U/Q | Spool   | 1000Ft |
| RG-6 Quad Shield CCS      | 18awg, 100% Coverage, CCS, Swept to 3ghz                  | White/Black       | F 6U/Q, RCA 6U/Q, BNC 6U/Q | BMP Box | 500Ft  |
|                           | 18awg, 100% Coverage, CCS, Swept to 3ghz                  | White/Black       | F 6U/Q, RCA 6U/Q, BNC 6U/Q | BMP Box | 1000Ft |
| RG-6 Quad Shield BC       | 18awg, 100% Coverage, Bare Copper, Swept to 3ghz 18awg,   | White/Black       | F 6U/Q, RCA 6U/Q, BNC 6U/Q | BMP Box | 1000Ft |
|                           | 18awg, 100% Coverage, Bare Copper, Swept to 3ghz 18awg,   | White/Black       | F 6U/Q, RCA 6U/Q, BNC 6U/Q | BMP Box | 500Ft  |
| RG-6 Quad Shield Plenum   | Quad Shield, CCS, Swept to 3ghz, Plenum                   | White             | F 6U/Q, RCA 6U/Q, BNC 6U/Q | Spool   | 1000Ft |
| RG-6 QS BC Siamese        | (2) RG-6QS Bare Copper, Siamese, Great for Tivos!         | White             | F 6U/Q, RCA 6U/Q, BNC 6U/Q | Spool   | 500Ft  |
| RG-6 QS CCS Direct Burial | 18awg, 100% Coverage, CCS, UV Resistant & Gel filled      | Black             | F 6U/Q, RCA 6U/Q, BNC 6U/Q | Spool   | 1000Ft |
| RG-6 HDTV                 | 18awg, BC Center, 95% TC Shield, Translucent Outer Jacket | Black             | F Conn 59, RCA 59, BNC 59  | BMP Box | 500Ft  |
| RG-59                     | 20awg, RG-59, 95% BC Shield                               | White/Black       | F Conn 59, RCA 59, BNC 59  | BMP Box | 1000Ft |
| RG-59 Mini                | 25awg, RG-59, Mini  | White/Black       | F Conn 59, RCA 59, BNC 59  | BMP Box | 1000Ft |
| RG-59 HDTV                | Broadcast Grade Digital Coax, 3.0ghz                      | Red/Gm/Blu/Ylw/Wt | F 6U/Q, RCA 6U/Q, BNC 6U/Q | BMP Box | 1000Ft |
| RG-59 HDTV Plenum         | Broadcast Grade Digital Coax, 3.0ghz, Plenum              | White/Black       | F Conn 59, RCA 59, BNC 59  | BMP Box | 1000Ft |

Features

Big Mouth Payout

Ascending Descending Foot markers

iLabel

Compliance

CM/CMP/CMR

Rated

FT4/FT6

Rated

RoHS

Compliant

310-444-1950 | ICECABLE.COM | ICE CABLE SYSTEMS 21



# Alarm Wire and Audio Cables

Our Alarm wire is available in our premium BMP boxes, as well as speed bags. It's your choice. You'll also find a complete line of audio cables with several levels of capacitance to choose from.



| Item                   | Description  | Color |                    | Put-Ups       | Length |
|------------------------|--|-------|--------------------|---------------|--------|
| 22-2EPS                | 22awg, 2pr, Each Pair Shielded w/Drain                 |       | Translucent Purple | BMP Box       | 1000Ft |
| 22-2EPS Mid Cap Plenum | 22awg, 2pr, Each Pair Shielded, Mid Cap, Plenum        |       | White/Black        | BMP Box       | 1000Ft |
| 22-2EPS Low Cap Plenum | 22awg, 2pr Siamese, Each Pair Shielded, Low Cap Plenum |       | White/Black        | Spool         | 500Ft  |
| 18-2EPS                | 18awg, 2pr, Each Pair Shielded w/Drain                 |       | Blue               | BMP Box       | 1000Ft |
| 22-2OS                 | 22awg, 2 Cond, Overall Shield w/Drain, Mid Cap         |       | Coffee             | BMP Box       | 1000Ft |
| 22-2OS Mid Cap Plenum  | 22awg, 2 Cond, Overall Shield, Mid Cap Plenum          |       | White/Black        | BMP Box       | 1000Ft |
| 22-2OS Low Cap         | 22awg, 2 Cond, Overall Shield w/Drain, Low Cap         |       | White              | BMP Box       | 1000Ft |
| 22-2OS Low Cap Plenum  | 22awg, 2 Cond, Overall Shield, Low Cap Plenum          |       | White/Black        | BMP Box       | 1000Ft |
| 18-2OS                 | 18awg, 2 Cond, Overall Shield, w/Drain                 |       | Gray               | BMP Box       | 1000Ft |
| 22-4OS                 | 22awg, 4 Cond, Overall Shield, w/Drain                 |       | Translucent Clear  | BMP Box       | 1000Ft |
| 22-4OS Mid Cap Plenum  | 22awg, 4 Cond, Overall Shield, Mid Cap Plenum          |       | White/Black        | BMP Box       | 1000Ft |
| 22-2 Solid             | 22awg, 2 Cond, Solid Core, Alarm                       |       | White              | Box/Coil Pack | 1000Ft |
| 22-4 Solid             | 22awg, 4 Cond, Solid Core, Alarm                       |       | White              | Box/Coil Pack | 1000Ft |
| 22-2 Stranded          | 22awg, 2 Cond, Stranded, Alarm                         |       | White              | Box/Coil Pack | 1000Ft |
| 22-4 Stranded          | 22awg, 4 Cond, Stranded, Alarm                         |       | White              | Box/Coil Pack | 1000Ft |

Features

Big Mouth  
Payout

Ascending Descending  
Foot markers

iLabel

Compliance

Listed

Rated

Rated

Compliant

# Structured Wiring / Bundled Cables

It's all about convenience. Structured Wiring offers the advantage of having several cables bundled under one jacket, allowing you to pull one run of cable instead of having to pull each cable separately.



| Item                   | Description   | Color |                        | Put-Ups | Length |
|------------------------|---|-------|------------------------|---------|--------|
| 14-4/Cat 5e            | (1) 14-4, 105 strand, OFC Copper + (1) Cat 5e 350Mhz      |       | Blue/Gray Stripe       | Spool   | 500Ft  |
| 2+2 w/Fiber            | (2) Cat 5e 350mhz + (2) RG-6QS CCS + (2) 50um Fiber (1)   |       | Orange                 | Spool   | 500Ft  |
| RG-59/18-2             | 3ghz + (1) 18-2 for Cameras, Siamese                      |       | White/Black            | Spool   | 500Ft  |
| RGB5                   | (5) Mini Digital Coax, 75ohm, 25awg, Solid BC Center      |       | Black                  | Spool   | 250Ft  |
| RGB5 Plenum            | (5) Mini Digital Coax, 75ohm, 25awg, Solid BC Center      |       | Black                  | Spool   | 500Ft  |
|                        | (5) Mini Coax, 75ohm, 25awg, Solid BC Center, Plenum      |       | Black                  | Spool   | 500Ft  |
| RGB5/(2) Cat 5e        | (5) Mini Coax, 75ohm, 25awg, Solid BC Center, Plenum      |       | Black                  | Spool   | 1000Ft |
|                        | (5) Mini Digital Coax + (2) Cat 5e 350Mhz                 |       | Black                  | Spool   | 250Ft  |
| RGB6/(2) 22-2OS Plenum | (6) Mini Digital Coax, 75ohm + 2pr Audio, Plenum          |       | Black                  | Spool   | 500Ft  |
| RG-11                  | ICE RG-11, CCS, Spool, 1000'                              |       | Black                  | Spool   | 1000Ft |
| RG-11/Plenum           | ICE RG-11, CCS, Plenum Rated, Spool, 1000'                |       | Black                  | Spool   | 1000Ft |
| 3+1/Cat 6              | ICE (3) Cat 6 550mhz + (1) RG-6QS/CCS, Blue, Spool, 500ft |       | Blue                   | Spool   | 500Ft  |
| RG-6/Cat 6             | ICE (1) RG-6QS/CCS + (1) Cat 6 550mhz, Gray, Spool, 500ft |       | Gray                   | Spool   | 500Ft  |
| 16-4/Cat 6             | ICE 16-4/ Cat 6, Gray/White, Spool, 500ft                 |       | Gray with White Stripe | Spool   | 500Ft  |

Features

Big Mouth  
Payout

Ascending Descending  
Foot markers

iLabel

Compliance

Rated


Rated

Compliant



# Automation Cables and Fiber Optics

ICE stocks a full range of automation and fiber optic cables for the most popular control systems on the market today, including the most commonly used fiber optic cables. Some cables are available in both Plenum and Non-Plenum.



| Item                  | Description   | Color | Put-Ups            | Length          |
|-----------------------|---|-------|--------------------|-----------------|
| Control Yellow        | (1) 22-2, w/ Shield & Drain + (1) 18-2                  |       | Teal/Yellow Stripe | BMP Box  1000Ft |
| Control Yellow Plenum | (1) 22-2, w/ Shield & Drain + (1) 18-2, Plenum          |       | Teal/Yellow Stripe | BMP Box  1000Ft |
| Control Black         | (1) Control Yellow + (2) Cat 5e 350Mhz                  |       | Black              | Spool  500Ft    |
| Control White         | (1) Control Yellow + (4) Cat 5e 350Mhz                  |       | Teal/Black Stripe  | Spool  500Ft    |
| Control DM            | Shielded, Hybrid Cat 5e/6 with Inner and Outer Jacket   |       | Blue               | Spool  500Ft    |
| Control Fiber         | (4) 50/125um Multimode Fibers in Breakout Configuration |       | Aqua               | Spool  500Ft    |
|                       | (4) 50/125um Multimode Fibers in Breakout Configuration |       | Aqua               | Spool  1000Ft   |
| Fiber Siamese         | (2) 50/125um Multimode Fibers is Siamese Configuration  |       | Aqua               | Spool  1000Ft   |

Features

Big Mouth Payout

Ascending Descending Foot markers

iLabel

Compliance

Listed

CL3/P/OFNR  
Rated

FT4/FT6  
Rated

RoHS  
Compliant

# Lutron Cables

We stock a complete line of cables for Lutron systems in both Plenum and Non-Plenum. To cross-reference the Lutron part numbers you'll see them listed in the chart below. Whether your needs are residential or commercial, we've got you covered.



| Item                  | Description  | Color                | Lutron Part No.  | Put-Ups | Length |
|-----------------------|--|----------------------|------------------|---------|--------|
| Lutron Green          | (1) 22-2, w/ Shield & Drain + (1) 18-2                       | Blue/Green Stripe    | GRX-CBL-346S     | BMP Box | 1000Ft |
| Lutron Green Plenum   | (1) 22-2, w/ Shield & Drain + (1) 18-2, Plenum               | Blue/Green Stripe    | GRX-PCBL-346S    | BMP Box | 1000Ft |
| Lutron Pink           | 18awg, 2 Cond, 600v Tray Cable, Dimmer & Switch              | Blue/Pink Stripe     | N/A              | Spool   | 1000Ft |
| Lutron White          | 18awg, 4 Cond, 600v Tray Cable, Dimmer & Switch              | Blue/White Stripe    | N/A              | Spool   | 1000Ft |
| Lutron Red            | 7 Conductor Cable for Sivoia Shade Control Systems           | Blue/Red Stripe      | SVQ-CBL          | Spool   | 500Ft  |
|                       | 7 Conductor Cable for Sivoia Shade Control Systems           | Blue/Red Stripe      | SVQ-CBL          | Spool   | 1000Ft |
| Lutron QS/M           | (1) 22-2, w/ Shield & Drain + (1) 16-2                       | Blue/Orange Stripe   | QSH-CBL-M        | Spool   | 500Ft  |
|                       | (1) 22-2, w/ Shield & Drain + (1) 16-2                       | Blue/Orange Stripe   | QSH-CBL-M        | Spool   | 1000Ft |
| Lutron QS/M Plenum    | (1) 22-2, w/ Shield & Drain + (1) 16-2, Plenum               | Blue/Orange Stripe   | QSH-PCBL-M       | Spool   | 500Ft  |
|                       | (1) 22-2, w/ Shield & Drain + (1) 16-2, Plenum               | Blue/Orange Stripe   | QSH-PCBL-M       | Spool   | 1000Ft |
| Lutron 46L/QSL        | (1) 22-2, w/ Shield & Drain + (1) 12-2 + (1) 18-1            | Blue/White Stripe    | GRX-CBL-46L      | Spool   | 500Ft  |
|                       | (1) 22-2, w/ Shield & Drain + (1) 12-2 + (1) 18-1            | Blue/White Stripe    | GRX-CBL-46L      | Spool   | 1000Ft |
| Lutron 46L/QSL Plenum | (1) 22-2, w/ Shield & Drain + (1) 12-2, + (1) 18-1, Plenum   | Blue/White Stripe    | GRX-PCBL-46L     | Spool   | 500Ft  |
|                       | (1) 22-2, w/ Shield & Drain + (1) 12-2, + (1) 18-1, Plenum 5 | Blue/White Stripe    | GRX-PCBL-46L     | Spool   | 1000Ft |
| Lutron 522            | Conductor Control Cable, 22awg                               | White                | C-CBL-522S-WH-1  | Spool   | 1000Ft |
| Lutron 522 Plenum     | 5 Conductor Control Cable, 22awg, Plenum                     | Clear                | C-PCBL-522S-WH-1 | Spool   | 1000Ft |
| Lutron 216            | 2 Conductor Cable, 16awg                                     | White                | C-CBL-216-GR-1   | Spool   | 1000Ft |
| Lutron 216 Plenum     | 2 Conductor Cable, 16awg, Plenum                             | Clear                | C-PCBL-216-CL-1  | Spool   | 1000Ft |
| Vantage 16-2          | 16awg, 2 Cond, 600v Tray Cable                               | Purple/Yellow Stripe | N/A              | Spool   | 1000Ft |

Features

Big Mouth Payout

Ascending Descending Foot markers

iLabel

Compliance

Listed

CL3/CL3P  
Rated

FT4/FT6  
Rated

RoHS  
Compliant

# Clear Series 2 Ultra Thin HDMI


Our Clear Series 2 HDMI cables represent state-of-the-art technology. With a wish-list of HDMI features, our cables are now fitted with GRIP Lock heads, for rock-solid connections.



| Item                 | Description  | Color |  | Length                |
|----------------------|--|-------|--|-----------------------|
| Clear HDMI S2 - 0.5m | Locking, high speed, 3D w/Ethernet, UL & FT4 Rated, 4K |       |  | 0.5 meter / 1.6 feet  |
| Clear HDMI S2 - 1m   | Locking, high speed, 3D w/Ethernet, UL & FT4 Rated, 4K |       |  | 1 meter / 3.3 feet    |
| Clear HDMI S2 - 2m   | Locking, high speed, 3D w/Ethernet, UL & FT4 Rated, 4K |       |  | 2 meter / 6.6 feet    |
| Clear HDMI S2 - 3m   | Locking, high speed, 3D w/Ethernet, UL & FT4 Rated, 4K |       |  | 3 meter / 9.8 feet    |
| Clear HDMI S2 - 5m   | Locking, high speed, 3D w/Ethernet, UL & FT4 Rated, 4K |       |  | 5 meter / 16.4 feet   |
| Clear HDMI S2 - 7.5m | Locking, standard, 3D w/Ethernet, UL & FT4 Rated, 4K   |       |  | 7.5 meter / 24.6 feet |
| Clear HDMI S2 - 10m  | Locking, standard, 3D w/Ethernet, UL & FT4 Rated, 4K   |       |  | 10 meter / 32.8 feet  |
| Clear HDMI S2 - 15m  | Locking, standard, 3D w/Ethernet, UL & FT4 Rated, 4K   |       |  | 15 meter / 49.2 feet  |
| Clear HDMI S2 - 23m  | Locking, standard, 3D w/Ethernet, UL & FT4 Rated, 4K   |       |  | 23 meter / 75.4 feet  |
| Clear HDMI S2 - 30m  | Locking, standard, UL & FT4 Rated, 4K                  |       |  | 30 meter / 98.4 feet  |
| HDMI Plenum          | Plenum HDMI 1.4, CMP Rated, 33ft (10m)                 |       |  | 33 feet               |
| HDMI F - DVI M       | HDMI Female to DVI Male Adapter                        |       |  | 1 each                |
| HDMI M - DVI F       | HDMI Male to DVI Female Adapter                        |       |  | 1 each                |
| HDMI F - HDMI F      | HDMI Female to HDMI Female Adapter                     |       |  | 1 each                |

# Field Terminable HDMI

HDMI cables you can terminate yourself. It's simple. Get the cable and connectors, follow the termination instructions and you'll be up and running in no time. You can cut the cables to any length you want and still get performance comparable to pre-terminated HDMI cables.



Here's what you need

Cable

Availabile in 250ft and 500ft lengths.

Connectors

Patent Pending HDMI locking connectors ensure secure connector mating. (Available in packs of 10)

Shells

Protect your HDMI's by covering them with the sleekly designed diecast Shell.

Tools

The DIY Hand Tool puts the finishing touches on your terminations.

Extender

Extends your cable up to 80 Feet with full 1080p signal.

Tester

Available in 250ft and 500ft lengths. connectors ensure secure connector mating.

| Item                    | Description  | Colors |            | UOM                    |
|-------------------------|--|--------|------------|------------------------|
| Field HDMI              | Field Terminable HDMI Ribbon Cables                  |        | Black      | 250 feet               |
| Field HDMI Communicator | HDMI Communicator to Solve EDID / HDCP Signal Issues |        | Black      | 1 each                 |
| Field HDMI Connector    | Field Terminable Clamshell HDMI Connectors           |        | Black/Blue | 10 connectors per pack |
| Field HDMI Tester       | HDMI Connection Tester to Verify Termination         |        | Black      | 1 each                 |
| Field HDMI Extender     | HDMI Extender to Push 1080p up to 80 feet            |        | Black      | 1 each                 |
| Field HDMI Tool         | HDMI Termination Tool for Field Terminable HDMI      |        | Blue       | 1 each                 |



# Flexible Conduit

Built for longer runs, easier access and hassle-free installs. Never worry about punching another hole in a client's wall again. ICE Conduit allows your cable to be protected over long runs so you're assured long lasting, future-proof installations.



## An excellent way to protect cables over long runs.

ICE's flexible conduit is great for areas that need cables to be able to bend along their route. Equally important is being able to future-proof your installs for your customers.

- Pull string for easy access
- Fits boxes from other popular brands
- High density polyethylene
- Available in 1", 1.5" and 2"

## Accessories



### Conduit Coupler

With the female coupler you'll find all your scrap eliminated.



### Conduit Caps

Conduit caps are designed to close conduit to keep dust, and other unwanted grime out.

| Item                     | Description   | Color |        | Unit of Measurement |
|--------------------------|---|-------|--------|---------------------|
| PVC Conduit 1"           | 1 in. PVC Conduit w/ Pull String, Orange, 250 ft.   |       | Orange | 250 Ft              |
| PVC Conduit 1.5"         | 1.5 in. PVC Conduit w/ Pull String, Orange, 250 ft. |       | Orange | 250 Ft              |
| PVC Conduit 2"           | 2 in. PVC Conduit w/ Pull String, Orange, 150 ft.   |       | Orange | 150 Ft              |
| PVC Conduit Cap 1"       | 1 in. PVC Conduit Cap, Black                        |       | Black  | 1 Piece             |
| PVC Conduit Cap 1.5"     | 1.5 in. PVC Conduit Cap, Black                      |       | Black  | 1 Piece             |
| PVC Conduit Cap 2"       | 2 in. PVC Conduit Cap, Black                        |       | Black  | 1 Piece             |
| PVC Conduit Coupler 1"   | 1 in. Conduit Coupler, White, Pack of 10            |       | White  | 10 Piece            |
| PVC Conduit Coupler 1.5" | 1.5 in. Conduit Coupler, White, Pack of 10          |       | White  | 10 Piece            |
| PVC Conduit Coupler 2"   | 2 in. Conduit Coupler, White, Pack of 10            |       | White  | 10 Piece            |

# Audio Video Cables

Built for longer runs, easier access and hassle-free installs. Never worry about punching another hole in your clients wall again. ICE Conduit allows your cable to be protected over long runs so you're assured long lasting safe installations.



Clear Optical



Clear Component



VGA BNC M

| Item            | Description                                      | Color |       | Length                |
|-----------------|--|-------|-------|-----------------------|
| Clear Audio     | RCA Analog Audio Interconnect, Male to Male      |       | Clear | 1 meter / 3.3 feet    |
|                 | RCA Analog Audio Interconnect, Male to Male      |       | Clear | 2 meter / 6.6 feet    |
|                 | RCA Analog Audio Interconnect, Male to Male      |       | Clear | 3 meter/ 9.8 feet     |
|                 | RCA Analog Audio Interconnect, Male to Male      |       | Clear | 5 meter / 16.4 feet   |
|                 | RCA Analog Audio Interconnect, Male to Male      |       | Clear | 7.5 meter / 24.6 feet |
| Clear Y MFF     | RCA Analog Audio Y Adapter, Male to 2 Female     |       | Clear | 1 each                |
| Clear Y FMM     | RCA Analog Audio Y Adapter, Female to 2 Male     |       | Clear | 1 each                |
| Clear Optical   | Toslink Optical Audio Interconnect, Male to Male |       | Gray  | 1 meter / 3.3 feet    |
|                 | Toslink Optical Audio Interconnect, Male to Male |       | Gray  | 2 meter / 6.6 feet    |
|                 | Toslink Optical Audio Interconnect, Male to Male |       | Gray  | 3 meter/ 9.8 feet     |
|                 | Toslink Optical Audio Interconnect, Male to Male |       | Gray  | 5 meter / 16.4 feet   |
|                 | Toslink Optical Audio Interconnect, Male to Male |       | Gray  | 7.5 meter / 24.6 feet |
| Clear Component | RCA Component Video Interconnect, Male to Male   |       | Clear | 1 meter / 3.3 feet    |
|                 | RCA Component Video Interconnect, Male to Male   |       | Clear | 2 meter / 6.6 feet    |
|                 | RCA Component Video Interconnect, Male to Male   |       | Clear | 3 meter/ 9.8 feet     |
|                 | RCA Component Video Interconnect, Male to Male   |       | Clear | 5 meter / 16.4 feet   |
| VGA             | VGA Video Interconnect, Male to Male             |       | Black | 3 feet                |
|                 | VGA Video Interconnect, Male to Male             |       | Black | 6 feet                |
|                 | VGA Video Interconnect, Male to Male             |       | Black | 15 feet               |
|                 | VGA Video Interconnect, Male to Male, In Wall    |       | Black | 35 feet               |
|                 | VGA Video Interconnect, Male to Male, In Wall    |       | Black | 50 feet               |
| VGA/3.5         | VGA + 3.5mm Audio Interconnect, Male to Male     |       | Black | 3 feet                |
|                 | VGA + 3.5mm Audio Interconnect, Male to Male     |       | Black | 6 feet                |
|                 | VGA + 3.5mm Audio Interconnect, Male to Male     |       | Black | 15 feet               |
|                 | VGA + 3.5mm Audio, Male to Male, In Wall         |       | Black | 35 feet               |
| VGA/ML          | VGA + 3.5mm Audio, Male to Male, In Wall         |       | Black | 50 feet               |
|                 | VGA + 3.5mm + LAN, Male to Male                  |       | Black | 3 feet                |
|                 | VGA + 3.5mm + LAN, Male to Male                  |       | Black | 6 feet                |
| VGA/MCA         | VGA + 3.5mm + LAN, Male to Male                  |       | Black | 15 feet               |
|                 | VGA + 3.5mm + Composite + LR Audio, M to M       |       | Black | 3 feet                |
|                 | VGA + 3.5mm + Composite + LR Audio, M to M       |       | Black | 6 feet                |
| VGA - BNC M     | VGA + 3.5mm + Composite + LR Audio, M to M       |       | Black | 15 feet               |
|                 | VGA Male to BNC Male, 6 inches                   |       | Black | 1 each                |
| VGA - BNC F     | VGA Male to BNC Female, 6 inches                 |       | Black | 1 each                |



# Prewire Accessories

They say the devil’s in the details and we know the little things matter. Adding to our strength as a one-stop-shop is a full lineup of prewire accessories that will help you keep your trucks stocked.



| Item                      | Description                                       | Color |       | Quantity  |
|---------------------------|---|-------|-------|-----------|
| LV1                       | Arlington Single Gang Retro-fit Low Voltage Ring  |       | Black | 10 Pieces |
| LV2                       | Arlington Double Gang Retro-fit Low Voltage Ring  |       | Black | 5 Pieces  |
| LVMB1                     | Arlington Single Gang New Const. Low Voltage Ring |       | Black | 10 Pieces |
| LVMB2                     | Arlington Double Gang New Const. Low Voltage Ring |       | Black | 5 Pieces  |
| D22                       | Arlington 2" x 2" D Ring                          |       | Black | 1 Each    |
| D33                       | Arlington 3" x 3" D Ring                          |       | Black | 1 Each    |
| D35                       | Arlington 3" x 5" D Ring                          |       | Black | 1 Each    |
| Digital Audio Converter   | Optical Digital to Analogue Audio Converter       |       | Black | 1 Piece   |
| HDMI Balun/2Cat           | HDMI Balun over (2) Category Cables               |       | Black | 1 Piece   |
| HDMI Balun/1Cat           | HDMI Balun over (1) Category Cables               |       | Black | 1 Piece   |
| Wiring Enclosure          | 18" Enclosure                                     |       | White | 1 Piece   |
|                           | 28" Enclosure                                     |       | White | 1 Piece   |
|                           | 48" Enclosure                                     |       | White | 1 Piece   |
| HDMI 90 Degree Adapter    | HDMI 90 Degree Adapter Up or Down                 |       | Black | 1 Piece   |
| RCA Barrel                | RCA Female to RCA Female Adapter                  |       | Black | 1 Piece   |
| BNC Barrel                | BNC Female to BNC Female Adapter                  |       | Metal | 1 Piece   |
| F Barrel                  | F Female to F Female Adapter                      |       | Metal | 1 Piece   |
| Sample Wand - Residential | Sample Wand for Top Residential Cables            |       |       | 1 Each    |
| Sample Wand - Commercial  | Sample Wand for Top Commercial Cables             |       |       | 1 Each    |

# Wall Plates and Trim

To add to the one-stop-shop experience, we stock a full array of wall plates and trim out products. Check out the full product line below.



| Item                   | Description                                   | Color |            | Quantity  |
|------------------------|---|-------|------------|-----------|
| Standard Wall Plate    | Wall Plate, 1, 2, 3, 4, or 6 Ports            |       | White      | 1 Piece   |
| WP/Blank/1G            | Single Gang Blank Wall Plate                  |       | White      | 1 Piece   |
| SWP/Blank/2G           | Double Gang Blank Wall Plate                  |       | White      | 1 Piece   |
| SWP/Pass/1G            | Single Gang Passthrough Wall Plate            |       | White      | 1 Piece   |
| SWP/Pass/2G            | Double Gang Passthrough Wall Plate            |       | White      | 1 Piece   |
| Dec Insert             | Decorator Insert Plate, 1, 2, 3, 4 or 6 Ports |       | White      | 1 Piece   |
| Dec Insert Blank       | Decorator Insert Plate, Blank                 |       | White      | 1 Piece   |
| Dec Insert Passthrough | Decorator Insert Passthrough Plate            |       | White      | 1 Piece   |
| Dec Plate/1G           | Decorator Outer Plate, Single Gang            |       | White      | 1 Piece   |
| Dec Plate/2G           | Decorator Outer Plate, Double Gang            |       | White      | 1 Piece   |
| Dec Plate/3G           | Decorator Outer Plate, Triple Gang            |       | White      | 1 Piece   |
| QP Tel                 | Quickport, 6 Pin Telephone                    |       | White/Blue | 1 Piece   |
| QP Cat 5e              | Quickport, Category 5e                        |       | White/Blue | 1 Piece   |
| QP Cat 6               | Quickport, Category 6                         |       | White      | 1 Piece   |
| QP F                   | Quickport, F Connector, Bag of 10             |       | White      | 10 Pieces |
| QP Cat 5e Barrel       | Quickport, Category 5e Barrel                 |       | White      | 1 Piece   |
| QP Blank               | Quickport, Blank                              |       | White      | 1 Piece   |
| Patch Panel Cat 5e     | 12 Port Cat 5e Patch Panel                    |       | White      | 1 Piece   |
|                        | 24 Port Cat 5e Patch Panel                    |       | White      | 1 Piece   |
|                        | 48 Port Cat 5e Patch Panel                    |       | White      | 1 Piece   |
| Patch Panel Cat 6      | 12 Port Cat 6 Patch Panel                     |       | White      | 1 Piece   |

## Assembled Cable Patch Cables

| Item               | Description                             | Color |       | Length   |
|--------------------|---|-------|-------|--|
| Cat 5e Patch Cable | 24 gauge, 4 Pair, Stranded, Patch Cable |       | White | 0.5 m, 1 m, 2 m, 3 m, 5 m, 7.5 m, 10 m, 15 m, 23 m, 30 m |
| Cat 6 Patch Cable  | 23 gauge, 4 Pair, Stranded, Patch Cable |       | White | 0.5 m, 1 m, 2 m, 3 m, 5 m, 7.5 m, 10 m, 15 m, 23 m, 30 m |

# Competitor Cross Reference

Now that you have learned what makes ICE the most advanced cable in the business, why settle for less? See below for a cross reference that will make switching easy.

| Application                      | ICE Cable              | Liberty               | Belden | Extron    | West Penn |
|----------------------------------|------------------------|-----------------------|--------|-----------|-----------|
| Speaker Cable                    |                        |                       |        |           |           |
| 12awg, Speaker, Plenum           | 12-2/Plenum            | 12-2C-P               | 6000UE | 25227     | 25227     |
| 12awg, Speaker, Non-Plenum       | 12-2FX/                | 12-2C-EX+             | 5000UP | 227       | 227       |
| 14awg, Speaker, Plenum           | 14-2/Plenum            | 14-2C-P               | 6100UE | 25226     | 25226B    |
| 14awg, Speaker, Non-Plenum       | 14-2FX/                | 14-2C-EX+             | 5100UE | 226       | 226       |
| 14awg, Speaker, Plenum           | 14-4/Plenum            | 14-4C-P               | 1861A  | SPK14P    | 25246B    |
| 14awg, Speaker, Non-Plenum       | 14-4FX/                | 14-4C-EX+             | 5102UE | SPK14     | 246       |
| 16awg, Speaker, Plenum           | 16-2/Plenum            | 16-2C-P               | 6200UE | SPK16P    | 25225B    |
| 16awg, Speaker, Non-Plenum       | 16-2CS/                | 16-2C-KO              | 5200UE | SPK16     | 225       |
| 18awg, Speaker, Plenum           | 18-2/Plenum            | 18-2C-P               | 6300UE | SPK18P    | 25224B    |
| 18awg, Speaker, Non-Plenum       | 18-2CS                 | 18-2C-GRY             | 5300UE | SPK18     | 224       |
| Category / Data Cable            |                        |                       |        |           |           |
| Cat 5E - Shielded Plenum         | Cat 5E/Shielded/Plenum | 24-4P-P-L5SH          | 1533P  | N/A       | 254245F   |
| Cat 5E - Unshielded Non-Plenum   | Cat 5e                 | 24-4P-L5-EN-Color     | 1583A  | N/A       | 4245      |
| Cat 5E - Unshielded Plenum       | Cat 5e/Plenum          | 24-4P-P-L5-EN         | 1213   | N/A       | 254245    |
| Cat 6 - Unshielded Non-Plenum    | Cat 6                  | 24-4P-L6-Color        | 7881A  | N/A       | 4246      |
| Cat 6 - Unshielded Plenum        | Cat 6/Plenum           | 24-4P-P-L6-Color      | 2413   | N/A       | 254246    |
| RGB over CAT5                    | Cat5e/In Phase         | TRUPHASE              | 7987R  | 22-141-03 | N/A       |
| RGB over CAT5 Plenum             | Cat5e/In Phase/Plenum  | TRUPHASE-P            | 7987P  | 22-142-03 | N/A       |
| Coaxial Cable                    |                        |                       |        |           |           |
| RG59 SD or Analog Video          | RG-59/HDTV             | 20-CMR-VIDEO-color    | 1505A  | RG59      | 819       |
| RG59 SD or Analog Video Plenum   | RG-59/HDTV/Plenum      | 20-CMP-VID-COAX-color | 1506A  | RG59P     | 25819     |
| RG6 SD or Analog Video           | RG-6/HDTV              | 18-CMR-SD-color       | 1694A  | RG6       | 6350      |
| RG6 SD or Analog Video Plenum    | RG-6/HDTV/Plenum       | 18-CMP-VID-COAX-color | 1695A  | RG6P      | 256350    |
| RG59 CCTV, Non-Plenum            | RG-59                  | RG59-CCTV             | 1426A  | N/A       | N/A       |
| RG6 Long RF runs                 | RG-6U                  | RG6-CM-BLK            | 9116   | N/A       | 6100      |
| RG6 Long runs, Plenum            | RG-6U/CCS/Plenum       | RG6-P-CATV            | 9116P  | N/A       | N/A       |
| RG6, Quad Shield                 | RG-6QS/CCS             | Quadflex              | 5339Q5 | N/A       | 6300      |
| RG6, Quad Shield, Plenum         | RG-6QS/BC/Plenum       | RG6-Quad-CMP-color    | 6339Q8 | N/A       | N/A       |
| Automation Cable                 |                        |                       |        |           |           |
| Automation Control 22/2SH + 18/2 | Control Yellow         | AXLINK                | 1502R  | CTL       | N/A       |
| Auto. Cntrl Plenum 22/2SH + 18/2 | Control Yellow/Plenum  | AXLINK-P              | 1502P  | CTLP      | N/A       |

# Any Questions? We're Here to Help.

### Los Angeles Headquarters

1521 Pontius Ave.  
Los Angeles, CA 90025

### Contact

Phone: (310) 444-1950  
Fax: (310) 444-1966

### Office Hours (PST)

Monday - Friday: 8:30am - 5:00pm

### Place Your Order Today

Website [www.icecable.com](http://www.icecable.com)  
Email Orders [orders@icecable.com](mailto:orders@icecable.com)  
Sales Inquiries [sales@icecable.com](mailto:sales@icecable.com)

### Questions About Your Account

Accounting [accounting@icecable.com](mailto:accounting@icecable.com)

### Warehouses on Both Coasts

#### West Coast Warehouse

2152 Alton Parkway, Unit K  
Irvine, CA 92606  
Hours: Mon-Fri 8:30AM - 5:00PM PST

#### East Coast Warehouse

300 Commerce Dr.  
New Holland, PA 17557  
Hours: Mon-Fri 8:30AM - 5:00PM EST



Better Cable.  
Better Service.



# CABLE. DONE RIGHT.



## **Stunning Innovations in Bulk Cable, HDMI and Connectors.**

Everyone wants to use the good stuff on their jobs and when it comes to Bulk Cable, HDMI Cables and Connectors, we build world-class products. The best part is that this is one of those rare times when you get to have the good stuff and pay about the same as the generic stuff. Better products, one-stop-shopping and amazing service make ICE the obvious choice. Take a look through our catalog - we think you'll like what you see.