

M122 MAVERICKS SERIES

12" DUAL SUBWOOFER (FOR L/C/R OR LFE USE)



(1) 12" (305 mm) Aluminum Woofer (Active) (1) 12" (305 mm) Aluminum Woofer (Passive)

The Maverick series by James Loudspeaker was inspired by the legendary "Maverick" surf of Northern California—awesome, powerful, and exciting! This large format free standing subwoofer was specifically designed for ultra-high output home theater applications where depth is not an issue. The maverick series by James provides ultra-wide bandwidth, very high sound pressure levels, and extremely low distortion, resulting in a stunning cinema experience.

The M122 features a dual woofer design capable of handling a broad frequency range down to 30Hz, delivering the deep, powerful bass that takes your movie-viewing experience to the next level. Designed to be used as either an LCR module or for pure LFE, this subwoofer can handle large amounts of power and pairs perfectly with the James M1000 amplifier, delivering up to 1000 Watts of deep ground shaking bass. This subwoofer module represents the cutting edge of cinema technology and delivers the high impact audio you expect from a high performance theater system.

Size 28 h x 15.5 w x 15.5 d (in)
711 h x 394 w x 394 d (mm)
Freq Response 30-150Hz \pm 3dB
Impedance 4 ohms
Sensitivity 92dB 2.83V /1m
Power req. 300-1000 watts
Woofer (1) 12" (305 mm) Active
(1) 12" (305 mm) Passive
Finishes Studio Black

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: 775.461.7500
www.jamesloudspeaker.com

THE APEX OF SOUND

20200206

M152 MAVERICKS SERIES

15" DUAL SUBWOOFER (FOR L/C/R OR LFE USE)



- (1) 15" (381 mm) Aluminum Woofer Active
- (1) 15" (381 mm) Aluminum Woofer Passive

The Maverick series by James Loudspeaker was inspired by the legendary "Maverick" surf of Northern California—awesome, powerful, and exciting! This large format free standing subwoofer was specifically designed for ultra-high output home theater applications where depth is not an issue. The maverick series by James provides ultra-wide bandwidth, very high sound pressure levels, and extremely low distortion, resulting in a stunning cinema experience.

The M152 features a dual woofer design capable of handling a broad frequency range down to 25Hz, delivering the deep, powerful bass that takes your movie-viewing experience to the next level. Designed to be used as either an LCR module paired with an MQ84(A) or for pure LFE, this subwoofer can handle large amounts of power and pairs perfectly with the James M1000 amplifier, delivering up to 1000 Watts of deep ground shaking bass. This subwoofer module represents the cutting edge of cinema technology and delivers the high impact audio you expect from a high performance theater system.

Size	35.1 h x 23.4 w x 15.5 d (in) 892 h x 594 w x 394 d (mm)
Freq Response	25-150Hz±3dB
Impedance	4 ohms
Sensitivity	92dB 2.83V /1m
Power req.	300-1000 watts
Woofer	(1) 15" (381 mm) Active (1) 15" (381 mm) Passive
Finishes	Studio Black



2185 Park Place, Minden, NV 89423
Ph: 775.461.7500
www.jamesloudspeaker.com

THE APEX OF SOUND

20200206

M213 MAVERICKS SERIES

21" ULTIMATE SUBWOOFER



Size 69.5 h x 25 w x 15.5 d (in)
 1765 h x 635 w x 394 d (mm)
Freq Response 20-80Hz±3dB
Impedance 4 ohms
Sensitivity 95dB 2.83V /1m
Power req. 500-2000 watts
Woofer (1) 21" (533 mm) Active
 (2) 21" (533 mm) Passive
Finishes Studio Black

(1) 21" (533 mm) Aluminum Woofer (Active) **(2) 21" (533 mm) Aluminum Woofers (Passive)**

The Maverick series by James Loudspeaker was inspired by the legendary "Maverick" surf of Northern California—awesome, powerful, and exciting! This large format free standing subwoofer was specifically designed for ultra-high output home theater applications where depth is not an issue. The maverick series by James provides ultra-wide bandwidth, very high sound pressure levels, and extremely low distortion, resulting in a stunning cinema experience.

The M213 features a tri-woofer design capable of handling a broad frequency range down below 20Hz, delivering the deep, powerful bass that takes your movie-viewing experience to the next level. Designed to be the ultimate in subwoofer technology, this subwoofer can handle massive amounts of power, delivering up to 2000 Watts of deep ground shaking bass. Equipping your cinema with one of these thunderous subwoofers is sure to deliver the bone-rattling bass you've been missing. From explosions to special effects and the many sensations that make a movie come to life, no Maverick system is complete without this unrivaled unit of mind blowing performance. This subwoofer represents the cutting edge of cinema technology and delivers the high impact audio you expect from a high performance theater system.

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
 Ph: 775.461.7500
www.jamesloudspeaker.com

THE APEX OF SOUND

20151107

MQ84 | MQ84A MAVERICKS SERIES

8" 4-WAY FULL-RANGE LCR ARRAY MODULE



- (2) 8" (203 mm) Aluminum Woofers**
- (1) 3" (76 mm) Compression Driver**
- (4) 1" (25 mm) Titanium Tweeter in Quad-Array**
- (1) 1" (25 mm) Titanium Ultra Tweeter**

The Maverick series by James Loudspeaker was inspired by the legendary "Maverick" surf of Northern California—awesome, powerful, and exciting! This large format hybrid horn system was specifically developed for ultra-high output home theater applications where depth is not an issue. The maverick series by James provides ultra-wide bandwidth, very high sound pressure levels, and extremely low distortion, resulting in a stunning cinema experience.

The MQ84 contains a 4-way passive crossover, requiring a single channel of amplification, while the MQ84A uses an entirely active 4-way crossover system requiring 4 channels of amplification, and allowing the ultimate programmability to deliver the highest quality sound. Each of these models provides high SPL and crystal clear sound all the way from 50Hz up to frequencies above 25kHz. The hybrid horn system allows ultimate control in directing the sound, evenly covering the desired angle without directing the sound too widely, eliminating any possible unwanted reflections and distortion. This LCR array module represents the cutting edge of cinema technology and delivers the high impact audio you expect from a high performance theater system.

Size	23.4 h x 23.4 w x 15.5 d (in) 594 h x 594 w x 394 d (mm)
Freq Response	50Hz-25kHz±3dB
Impedance MQ84	4 ohms
Impedance MQ84A	4/8/4/4 ohms (LF/MID/HF/UHF)
Sensitivity	102dB 2.83V /1m
Power req.	75-500 watts
Woofer	(2) 8" (203 mm) Aluminum
Mid	(1) 3" (76 mm) Compression Driver
Tweeter	(4) 1" (25 mm) Titanium
Ultra Tweeter	(1) 1" (25mm) Titanium
Finishes	Studio Black

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: 775.461.7500
www.jamesloudspeaker.com

THE APEX OF SOUND

20200206

MQS85 MAVERICKS SERIES

5-WAY FULL-RANGE ON-WALL BI-POLE SURROUND MODULE



- (1) 8" (203 mm) Aluminum Woofer**
- (2) 5.25" (133 mm) Aluminum Mid Woofers**
- (8) 0.75" (19 mm) Aluminum Tweeters in Quad-Array**

The Maverick series by James Loudspeaker was inspired by the legendary "Maverick" surf of Northern California—awesome, powerful, and exciting! This large format bi-pole surround speaker was specifically developed for high output home theater systems where depth is not an issue. The maverick series by James provides ultra-wide bandwidth, very high sound pressure levels, and extremely low distortion, resulting in a stunning cinema experience.

The MQS85 is a wide dispersion, wide bandwidth, on-wall surround in the tradition of commercial cinema design. Using the customary bi-pole design to deliver coverage to any area regardless of location, this surround module is built to deliver the ultimate cinema experience. Each of these models provides high SPL and crystal clear sound all the way down to 45Hz, and up to frequencies above 24kHz. When used in the proper context, this bi-pole surround system represents the cutting edge of cinema technology and delivers the high impact audio you expect from a high performance theater system.

Size	26 h x 14 w x 6 d (in) 660 h x 356 w x 152 d (mm)
Freq Response	45Hz-24kHz±3dB
Impedance	4 ohms
Sensitivity	92dB 2.83V /1m
Power req.	75-300 watts
Woofer	(1) 8" (203 mm) Aluminum
Mid	(2) 5.25" (133 mm) Aluminum
Tweeter	(8) .75" (19 mm) Aluminum
Finishes	Studio Black

*Appropriate for any cinema application where bi-pole speakers are specified.

*Most modern cinemas do not use bi-pole/di-pole speakers. Monopoles are usually more appropriate.

*Atmos/Auro 3D systems should not use bi-pole/di-pole speakers

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: 775.461.7500
www.jamesloudspeaker.com

THE APEX OF SOUND

20200206