

OMNI89AT4 / 70 AT SERIES

OMNIDIRECTIONAL 3-WAY ALL-TERRAIN SPEAKER



Size	17.4 h x 9.75 w x 9.75 d (in) 442 h x 279 w x 279 d (mm)
Freq Response	33Hz-20kHz±3dB
Impedance	4 ohms/70 volt
Sensitivity	89dB 2.83V /1m
Power req.	Sats 50-200 watts (HF) Sub 250-500 watts (LF)
70V Power req.	Sats: 70V (120W) (HF) Sub: 70V (200W) (LF) (70V Models Only)
Subwoofer	(1) 8" (203mm) Aluminum
Woofers	(4) 3" (76 mm) Aluminum Cone
Tweeters	(4) 0.75" (19 mm) Aluminum Dome
Enclosure	Aluminum
Finishes	Black Wrinkle, Bronze Wrinkle, Verde, Weathered Iron, Antique Brass, Sandstone, Sierra Mountain Granite, Hunter Green, Satin Bronze, Chocolate

(1) 8" (203 mm) Aluminum Subwoofer (4) 3" (76 mm) Aluminum Cone Woofers (4) 0.75" (19 mm) Aluminum Dome Tweeters

James Loudspeaker designs and manufactures innovative solutions to accommodate the best in outdoor audio experiences and provide superior outdoor home theaters. The Omni89AT loudspeaker by James makes a great addition to the AT Series (All-Terrain) by offering a full range omnidirectional alternative to the simple landscape speaker where complete 360° wide coverage and above ground installation are needed. Typical applications include rock scape areas where traditional sat/sub combinations cannot be installed, or large open seating where full omni coverage is a benefit.

Rather than using multiple satellite speakers and a subwoofer, the Omni89AT allows a single enclosure to do the same job of four 42AT All-Terrain satellite speakers and a subwoofer, delivering the same legendary James landscape performance in a more compact above ground unit. Complete with 10 standard finishes and unlimited custom formats to allow seamless integration into all outdoor environments, this compact all-inclusive loudspeaker makes a great addition to any James landscape system where locating multiple speakers is difficult.

Performance comes from four James 3" proprietary all-terrain coaxial aluminum woofers with 0.75" aluminum tweeters, and a down firing aluminum 8" woofer, all in a 5052 marine aluminum enclosure for years of trouble free life. As with all James landscape products, the Omni89AT is available in both 70V and 4 ohm. 70V models use high-quality, low-loss, toroidal transformers which deliver optimal quality, so your system provides James performance whether it's in 70V mode or 4 ohm. The system can be custom ordered in bi-amp mode allowing more control of bass performance.

The units, assembled from the highest quality materials, comes standard with a 5 year outdoor warranty backed by one of the most respected loudspeaker manufacturers in the world.

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: +1.775.461.7500
www.jamesloudspeaker.com

Specifications subject to change without notice.

Optional M1000

1000W Subwoofer Amplifier w/DSP-2U
Suggested for all James subwoofers



20190827

OMNI89-4/70-P AT SERIES

8" SUBWOOFER, OMNIDIRECTIONAL, 3-WAY, BI-AMPED, ALL-TERRAIN, SPEAKER/PLANTER



70V



Size	25.4 h x 9.75 w x 9.75 d (in) 644.5 h x 247.7 w x 247.7 d (mm)
Freq Response	33Hz-20kHz±3dB
Impedance	4 ohm (Sats) 8 ohm (Sub)
Sensitivity	89dB 2.83V /1m
Power req.	Sats 50-200 watts (HF) Sub 250-500 watts (LF)
70V Power req.	Sats: 70V (120W) (HF) Sub: 70V (200W) (LF) (70V Models Only)
Subwoofer	(1) 8" (203mm) Aluminum
Woofer	(4) 3" (76 mm) Aluminum Cone
Tweeter	(4) 0.75" (19 mm) Aluminum Dome
Enclosure	Aluminum
Finishes	Black Wrinkle, Bronze Wrinkle, Verde, Weathered Iron, Antique Brass, Sandstone, Sierra Mountain Granite, Hunter Green, Satin Bronze, Chocolate

(1) 8" (203 mm) Aluminum Subwoofer (4) 3" (76 mm) Aluminum Cone Woofers (4) 0.75" (19 mm) Aluminum Dome Tweeters

James Loudspeaker designs and manufactures innovative solutions to provide the finest outdoor entertainment experience. The Omni Planter or Omni89-P loudspeaker by James makes a great addition to the All-Terrain Series by offering 360-degrees of full-range, crystal clear music. Ideal for any setting where above ground installation is preferred, Omni89-P cleverly accommodates a decorative plant of choice nestled into the top section of the all-aluminum loudspeaker enclosure. Typical applications include rock scape areas or any other environment where traditional in ground satellite/subwoofer combinations cannot be installed, or large open seating venues such as outdoor theater that demand detailed and dynamic coverage. The James Loudspeaker Omni89-P delivers superb full range performance from a décor-friendly compact enclosure.

The Omni89-P allows a single enclosure to do the same job of four James 32AT All-Terrain satellite speakers and a 8" down-firing subwoofer, delivering the same legendary James landscape performance in a more compact above ground unit.

The Omni89 is constructed from 5052 marine aluminum enclosure and is available in 10 standard colors and unlimited custom finishes to allow seamless integration into all outdoor environments.

The units, assembled from the highest quality materials, comes standard with a 5 year outdoor warranty backed by one of the most respected loudspeaker manufacturers in the world. The Omni89 can also be optionally configured as a non-biamp unit.

For the 70V version order the Omni89-70-P.

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: +1.775.461.7500
www.jamesloudspeaker.com

Specifications subject to change without notice.

Optional M1000

1000W Subwoofer Amplifier w/DSP-2U
Suggested for all James subwoofers



20220111

OMNI109AT4 OMNI AT SERIES

OMNIDIRECTIONAL 3-WAY BI-AMPED ALL-TERRAIN SPEAKER



Size	20.125 h x 12 w x 12 d (in) 511 h x 304.8 w x 304.8 d (mm)
Freq Response	20Hz-20kHz±3dB
Impedance	Sats 4 ohms (HF) Sub 4 ohms (LF)
Sensitivity	89dB 2.83V /1m
Power req.	Sats 50-250 watts (HF) Sub 500-1000 watts (LF)
70V Power req.	Sats: 70V (200W) (HF) Sub: 70V (200W) (LF) (70V Models Only)
Subwoofer	(1) 10" (254 mm) Aluminum
Woofers	(4) 4" (102 mm) Aluminum Cone
Tweeter	(4) 0.75" (19 mm) Aluminum Dome
Enclosure	Aluminum
Finishes	Black Wrinkle, Bronze Wrinkle, Verde, Weathered Iron, Antique Brass, Sandstone, Sierra Mountain Granite, Hunter Green, Satin Bronze, Chocolate

(1) 10" (254 mm) Aluminum Subwoofer (4) 4" (102 mm) Aluminum Cone Woofers (4) 0.75" (19 mm) Aluminum Dome Tweeters

James Loudspeaker designs and manufactures innovative solutions to provide the finest outdoor entertainment experience. The Omni109AT4 loudspeaker by James makes a great addition to the All-Terrain Series by offering 360-degrees of full range, crystal clear music. Ideal for any setting where above ground installation is preferred. Typical applications include rock scape areas or any other environment where traditional in ground satellite/subwoofer combinations can not be installed, or large open seating venues such as outdoor theater that demand detailed and dynamic coverage. The James Loudspeaker Omni109AT4 delivers superb full range performance from a décor-friendly compact enclosure.

The Omni109AT4 allows a single enclosure to do the same job of four James 42AT All-Terrain satellite speakers and a 10" down-firing subwoofer, delivering the same legendary James landscape performance in a more compact above ground unit.

The Omni109AT4 is constructed from 5052 marine aluminum enclosure and is available in 10 standard colors and unlimited custom finishes to allow seamless integration into all outdoor environments.

The units, assembled from the highest quality materials, comes standard with a 5 year outdoor warranty backed by one of the most respected loudspeaker manufacturers in the world. The Omni109AT4 can also be optionally configured as a non-biamp unit. For the 70V version order the Omni109AT470. Available in a wide variety of standard or custom severe powder coat color options.

Optional M1000

1000W Subwoofer Amplifier w/DSP-2U
Suggested for all James subwoofers



James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: +1.775.461.7500
www.jamesloudspeaker.com

OMNI109AT4-P OMNI AT SERIES

OMNIDIRECTIONAL 3-WAY BI-AMPED ALL-TERRAIN SPEAKER/PLANTER



Size	30.13 h x 12 w x 12 d (in) 765.2 h x 304.8 w x 304.8 d (mm)
Freq Response	20Hz-20kHz±3dB
Impedance	Sats 4 ohms (HF) Sub 4 ohms (LF)
Sensitivity	89dB 2.83V /1m
Power req.	Sats 50-250 watts (HF) Sub 500-1000 watts (LF)
70V Power req.	Sats: 70V (200W) (HF) Sub: 70V (200W) (LF) (70V Models Only)
Subwoofer	(1) 10" (254 mm) Aluminum
Woofer	(4) 4" (102 mm) Aluminum Cone
Tweeter	(4) 0.75" (19 mm) Aluminum Dome
Enclosure	Aluminum
Finishes	Black Wrinkle, Bronze Wrinkle, Verde, Weathered Iron, Antique Brass, Sandstone, Sierra Mountain Granite, Hunter Green, Satin Bronze, Chocolate

(1) 10" (254 mm) Aluminum Subwoofer (4) 4" (102 mm) Aluminum Cone Woofers (4) 0.75" (19 mm) Aluminum Dome Tweeters

James Loudspeaker designs and manufactures innovative solutions to provide the finest outdoor entertainment experience. The Omni Planter 109AT4-P loudspeaker by James makes a great addition to the All-Terrain Series by offering 360-degrees of full range, crystal clear music. Ideal for any setting where above ground installation is preferred, the Omni Planter 109AT4-P cleverly accommodates a decorative plant of choice nestled into the top section of the all-aluminum loudspeaker enclosure. Typical applications include rock scape areas or any other environment where traditional in ground satellite/subwoofer combinations cannot be installed, or large open seating venues such as outdoor theater that demand detailed and dynamic coverage. The James Loudspeaker Omni Planter 109AT4-P delivers superb full range performance from a décor-friendly compact enclosure.

The Omni109AT4-P allows a single enclosure to do the same job of four James 42AT All-Terrain satellite speakers and a 10" down-firing subwoofer, delivering the same legendary James landscape performance in a more compact above ground unit.

The Omni109AT4-P is constructed from 5052 marine aluminum enclosure and is available in 10 standard colors and unlimited custom finishes to allow seamless integration into all outdoor environments.

The units, assembled from the highest quality materials, comes standard with a 5 year outdoor warranty. The Omni109AT4-P can also be optionally configured as a non-biamp unit. For the 70V version order the Omni109AT4-P70. Available in a wide variety of standard or custom severe powder coat color options.



James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: +1.775.461.7500
www.jamesloudspeaker.com

Specifications subject to change without notice.

Optional M1000

1000W Subwoofer Amplifier w/DSP-2U
Suggested for all James subwoofers



OMNI129AT4 OMNI AT SERIES

OMNIDIRECTIONAL 3-WAY BI-AMPED ALL-TERRAIN SPEAKER



Size	25.125 h x 14 w x 14 d (in) 638.2 h x 355.6 w x 355.6 d (mm)
Freq Response	18Hz-20kHz±3dB
Impedance	Sats 4 ohms Sub 4 ohms
Sensitivity	90dB 2.83V /1m
Power req.	Sats 50-250 watts (HF) Sub 500-1000 watts (LF)
70V Power req.	Sats: 70V (400W) (HF) Sub: 70V (200W) (LF) (70V Models Only)
Subwoofer	(1) 12" (305 mm) Aluminum
Woofers	(4) 6.5" (165 mm) Aluminum Cone
Tweeters	(4) 1" (25 mm) Aluminum Dome
Enclosure	Aluminum
Finishes	Black Wrinkle, Bronze Wrinkle, Verde, Weathered Iron, Antique Brass, Sandstone, Sierra Mountain Granite, Hunter Green, Satin Bronze, Chocolate

- (1) 12" (305 mm) Aluminum Subwoofer**
- (4) 6.5" (165 mm) Aluminum Cone Woofers**
- (4) 1" (25 mm) Aluminum Dome Tweeters**

James Loudspeaker designs and manufactures innovative solutions to provide the finest outdoor entertainment experience. The Omni129AT4 loudspeaker by James makes a great addition to the All-Terrain Series by offering 360-degrees of full range, crystal clear music. Ideal for any setting where above ground installation is preferred. Typical applications include rock scape areas or any other environment where traditional in ground satellite/subwoofer combinations cannot be installed, or large open seating venues such as outdoor theater that demand detailed and dynamic coverage. The James Loudspeaker Omni129AT4 delivers superb full range performance from a décor-friendly compact enclosure.

The Omni129AT4 allows a single enclosure to do the same job of four James 42AT All-Terrain satellite speakers and a 12" down-firing subwoofer, delivering the same legendary James landscape performance in a more compact above ground unit.

The Omni129AT4 is constructed from 5052 marine aluminum enclosure and is available in 10 standard colors and unlimited custom finishes to allow seamless integration into all outdoor environments.

The units, assembled from the highest quality materials, comes standard with a 5 year outdoor warranty backed by one of the most respected loudspeaker manufacturers in the world. The Omni129AT4 can also be optionally configured as a full-range unit. For the 70V version order the Omni129AT470. Available in a wide variety of standard or custom severe powder coat color options.

Optional M1000

1000W Subwoofer Amplifier w/DSP-2U
Suggested for all James subwoofers



James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: +1.775.461.7500
www.jamesloudspeaker.com

OMNI129AT4-P OMNI AT SERIES

OMNIDIRECTIONAL 3-WAY BI-AMPED ALL-TERRAIN SPEAKER/PLANTER



Size	34.13 h x 14 w x 14 d (in) 866.8 h x 355.6 w x 355.6 d (mm)
Freq Response	18Hz-20kHz±3dB
Impedance	Sats 4 ohms Sub 4 ohms
Sensitivity	90dB 2.83V /1m
Power req.	Sats 50-250 watts (HF) Sub 500-1000 watts (LF)
70V Power req.	Sats: 70V (400W) (HF) Sub: 70V (200W) (LF) (70V Models Only)
Subwoofer	(1) 12" (305 mm) Aluminum
Woofers	(4) 6.5" (165 mm) Aluminum Cone
Tweeter	(4) 1" (25 mm) Aluminum Dome
Enclosure	Aluminum
Finishes	Black Wrinkle, Bronze Wrinkle, Verde, Weathered Iron, Antique Brass, Sandstone, Sierra Mountain Granite, Hunter Green, Satin Bronze, Chocolate

(1) 12" (305 mm) Aluminum Subwoofer (4) 6.5" (165 mm) Aluminum Cone Woofers (4) 1" (25 mm) Aluminum Dome Tweeters

James Loudspeaker designs and manufactures innovative solutions to provide the finest outdoor entertainment experience. The Omni Planter 129AT4-P loudspeaker by James makes a great addition to the All-Terrain Series by offering 360-degrees of full range, crystal clear music. Ideal for any setting where above ground installation is preferred, the Omni Planter 129AT4-P cleverly accommodates a decorative plant of choice nestled into the top section of the all-aluminum loudspeaker enclosure. Typical applications include rock scape areas or any other environment where traditional in ground satellite/subwoofer combinations cannot be installed, or large open seating venues such as outdoor theater that demand detailed and dynamic coverage. The James Loudspeaker Omni Planter 129AT4-P delivers superb full range performance from a décor-friendly compact enclosure.

The Omni129AT4-P allows a single enclosure to do the same job of four James 42AT All-Terrain satellite speakers and a 12" down-firing subwoofer, delivering the same legendary James landscape performance in a more compact above ground unit.

The Omni129AT4-P is constructed from 5052 marine aluminum enclosure and is available in 10 standard colors and unlimited custom finishes to allow seamless integration into all outdoor environments.

The units, assembled from the highest quality materials, comes standard with a 5 year outdoor warranty backed by one of the most respected loudspeaker manufacturers in the world. The Omni129AT4-P can also be optionally configured as a full-range unit. For the 70V version order the Omni129AT4-P70.

Optional M1000

1000W Subwoofer Amplifier w/DSP-2U
Suggested for all James subwoofers



James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: +1.775.461.7500
www.jamesloudspeaker.com