

420W OW SERIES

3.5" 2-WAY FULL RANGE ON-WALL LOUDSPEAKER - 1.5" DEPTH



(1) 1" (25 mm) Soft Dome Tweeter

(1) 3.5" (89mm) Aluminum Woofer

The On-Wall series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, on-wall design. The 420w is the smallest of these multi-use speakers. Boasting an ultra-slim design at only 1.5" this speaker easily integrates into any environment. With the James high excursion proprietary woofer, and a neodymium silk dome tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 22kHz all the way down to below 100Hz. This versatile speaker pairs perfectly with the James SPL3 series to provide a compact, ultra-slim surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 420w is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes a stainless steel perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately. For outdoor/marine applications order the 42UE.

Size	10 h x 4 w x 1.68 d (in) 254 h x 102 w x 43 d (mm)
Freq Response	100Hz-22kHz±3dB
Impedance	8 ohms
Sensitivity	86dB 2.83V /1m
Power req.	25 -100 watts
Woofer	(1) 3.5" (89mm) Aluminum
Tweeter	(1) 1" (25mm) Soft Dome
Mount	Through hole (Optional Brackets)
Finishes	Gloss White, Satin Black, or Custom



BRK.Z

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: 775.461.7500
www.jamesloudspeaker.com

REDEFINING SOUND & SPACE!

20190830

430W OW SERIES

3.5" 2-WAY FULL RANGE ON-WALL LOUDSPEAKER - 1.5" DEPTH



(1) 1" (25 mm) Soft Dome Tweeter

(2) 3.5" (89mm) Aluminum Woofers (Active/Passive)

The On-Wall series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, on-wall design. The 430w is just one of these multi-use speakers. Boasting an ultra-slim design at only 1.5" this speaker easily integrates into any environment. With the James high excursion proprietary woofers, and a neodymium silk dome tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 22kHz all the way down to below 90Hz. This versatile speaker pairs perfectly with the James SPL3 series to provide a compact, ultra-slim surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 430w is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes a stainless steel perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately. For outdoor/marine applications order the 43UE.

Size	14 h x 4 w x 1.5 d (in) 355 h x 101 w x 38 d (mm)
Freq Response	90Hz-22kHz±3dB
Impedance	8 ohms
Sensitivity	86dB 2.83V /1m
Power req.	25 -100 watts
Woofer	(2) 3.5" (89mm) Aluminum (Active/Passive)
Tweeter	(1) 1" (25mm) Soft Dome
Mount	Through hole (Optional Brackets)
Finishes	Gloss White, Satin Black, or Custom



BRK.Z

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423

Ph: 775.461.7500

www.jamesloudspeaker.com

REDEFINING SOUND & SPACE!

20190830

52Qow OW SERIES

5.25" 2-WAY FULL RANGE ON-WALL LOUDSPEAKER - 3.5" DEPTH



(4) 0.75" (19mm) Aluminum Dome Tweeters

(1) 5.25" (89mm) Aluminum Woofer

Size	12.5 h x 5.75 w x 3.5 d (in) 318 h x 146 w x 89 d (mm)
Freq Response	70Hz-24kHz±3dB
Impedance	8 ohms
Sensitivity	88dB 2.83V /1m
Power req.	20 -150 watts
Woofer	(1) 5.25" (89mm) Aluminum
Tweeter	(4) 0.75" (19mm) Aluminum Dome
Mount	Through hole (Optional Brackets)
Finishes	Gloss White, Satin Black, or Custom

The On-Wall series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, on-wall design. The 52Qow is just one of these multi-use speakers. Boasting a compact design this speaker easily integrates into any environment. With the James high excursion proprietary woofers, and the signature James aluminum dome quad-array tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 24kHz all the way down to below 70Hz, with an impressive sensitivity of 88dB. This versatile speaker pairs perfectly with the James SPL5 series to provide a compact surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 52Qow is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes a stainless steel perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately. For outdoor/marine applications order the 52QUE.

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: 775.461.7500
www.jamesloudspeaker.com



BRK.Z



BRK.U5

REDEFINING SOUND & SPACE!

20190830

53Qow OW SERIES

5.25" 2-WAY FULL RANGE ON-WALL LOUDSPEAKER - 3.5" DEPTH



(4) 0.75" (19mm) Aluminum Dome Tweeters

(2) 5.25" (89mm) Aluminum Woofers

The On-Wall series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, on-wall design. The 53Qow is just one of these multi-use speakers. Boasting a compact design this speaker easily integrates into any environment. With the James high excursion proprietary woofers, and the signature James aluminum dome quad-array tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 24kHz all the way down to below 68Hz, with an impressive sensitivity of 89dB. This versatile speaker pairs perfectly with the James SPL5 series to provide a compact surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 53Qow is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes a stainless steel perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately. For outdoor/marine applications order the 53QUE.

Size	20 h x 5.75 w x 3.5 d (in) 508 h x 146 w x 89 d (mm)
Freq Response	68Hz-24kHz±3dB
Impedance	4 ohms
Sensitivity	89dB 2.83V /1m
Power req.	50 -200 watts
Woofer	(2) 5.25" (89mm) Aluminum
Tweeter	(4) 0.75" (19mm) Aluminum Dome
Mount	Through hole (Optional Brackets)
Finishes	Gloss White, Satin Black, or Custom

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: 775.461.7500
www.jamesloudspeaker.com



BRK.Z



BRK.U5

REDEFINING SOUND & SPACE!

20190830

620W OW SERIES

6.5" 2-WAY FULL RANGE ON-WALL LOUDSPEAKER - 2.75" DEPTH



(1) 1" (25mm) Beryllium Dome Tweeter

(1) 6.5" (165mm) Aluminum Ultra-Slim Woofer

The On-Wall series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, on-wall design. The 620W is just one of these multi-use speakers. Boasting a compact, ultra-slim design at just 2.75" this speaker easily integrates into any environment. With the James high excursion proprietary woofers, and an ultra-low distortion beryllium dome tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 24kHz all the way down to below 80Hz, with an impressive sensitivity of 91dB. This versatile speaker pairs perfectly with the James SPL6 series to provide a compact surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 620w is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes a stainless steel perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately. For outdoor/marine applications order the 620wM.

Size	16 h x 7.75 w x 2.714" d (in) 406 h x 197 w x 70 d (mm)
Freq Response	80Hz-24kHz±3dB
Impedance	4 ohms
Sensitivity	91dB 2.83V /1m
Power req.	25 -200 watts
Woofer	(1) 6.5" (165mm) Aluminum Ultra-Slim
Tweeter	(1) 1" (25mm) Beryllium Dome
Mount	Through hole (Optional Brackets)
Finishes	Gloss White, Satin Black, or Custom

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423

Ph: 775.461.7500

www.jamesloudspeaker.com



BRK.Z



BRK.6ow

REDEFINING SOUND & SPACE!

20190830

630W OW SERIES

6.5" 2-WAY FULL RANGE ON-WALL LOUDSPEAKER - 2.75" DEPTH



(1) 1" (25mm) Beryllium Dome Tweeter

(2) 6.5" (165mm) Aluminum Ultra-Slim Woofers

The On-Wall series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, on-wall design. The 630W is just one of these multi-use speakers. Boasting a compact, ultra-slim design at just 2.75" this speaker easily integrates into any environment. With the James high excursion proprietary woofers, and an ultra-low distortion beryllium dome tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 24kHz all the way down to below 80Hz, with an impressive sensitivity of 92dB. This versatile speaker pairs perfectly with the James SPL6 series to provide a compact surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 630w is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes a stainless steel perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately. For outdoor/marine applications order the 630wM.

Size	22 h x 7.75 w x 2.714" d (in) 609 h x 197 w x 70 d (mm)
Freq Response	80Hz-24kHz±3dB
Impedance	8 ohms
Sensitivity	92dB 2.83V /1m
Power req.	25 -200 watts
Woofers	(2) 6.5" (165mm) Aluminum Ultra-Slim
Tweeter	(1) 1" (25mm) Beryllium Dome
Mount	Through hole (Optional Brackets)
Finishes	Gloss White, Satin Black, or Custom

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: 775.461.7500
www.jamesloudspeaker.com



BRK.Z



BRK.60w

REDEFINING SOUND & SPACE!

20190830

660W OW SERIES

6.5" 2-WAY FULL RANGE ON-WALL LOUDSPEAKER - 2.75" DEPTH



(4) 1" (25mm) Beryllium Tweeters

(2) 6.5" (165mm) Aluminum Ultra-Slim Woofers

The On-Wall series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, on-wall design. The 660W is just one of these multi-use speakers. Boasting a compact, ultra-slim design at just 2.75" this speaker easily integrates into any environment. With the James high excursion proprietary woofers, and an ultra-low distortion beryllium dome quad-array tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 40kHz all the way down to below 75Hz, with an impressive sensitivity of 95dB. This versatile speaker pairs perfectly with the James SPL6-QBE series to provide a compact surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 660W is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes a stainless steel perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately. For outdoor/marine applications order the 660wM.

Size	27 h x 9.75 w x 2.739" d (in) 685 h x 248 w x 79.5 d (mm)
Freq Response	75Hz-40kHz±3dB
Impedance	8 ohms
Sensitivity	95dB 2.83V /1m
Power req.	25 -200 watts
Woofers	(2) 6.5" (165mm) Aluminum Ultra-Slim
Tweeter	(4) 1" (25mm) Beryllium Dome
Mount	Through hole (Optional Brackets)
Finishes	Gloss White, Satin Black, or Custom



James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423

Ph: 775.461.7500

www.jamesloudspeaker.com

REDEFINING SOUND & SPACE!

20190830

680W OW SERIES

6.5" 3-WAY FULL RANGE ON-WALL LOUDSPEAKER - 2.75" DEPTH



(4) 1" (25mm) Beryllium Tweeters

(4) 6.5" (165mm) Aluminum Ultra-Slim Woofers

The On-Wall series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, on-wall design. The 680w is just one of these multi-use speakers. Boasting a compact, ultra-slim design at just 2.75" this speaker easily integrates into any environment. With the James high excursion proprietary woofers, and an ultra-low distortion beryllium dome quad-array tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 40kHz all the way down to below 70Hz, with an impressive sensitivity of 96dB. This versatile speaker pairs perfectly with the James SPL6-QBE series to provide a compact surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 680w is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes a stainless steel perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately. For outdoor/marine applications order the 680wM.

Size	40 h x 9.75 w x 2.739" d (in) 1016 h x 248 w x 79.5 d (mm)
Freq Response	70Hz-40kHz±3dB
Impedance	4 ohms
Sensitivity	96dB 2.83V /1m
Power req.	25 -200 watts
Woofers	(4) 6.5" (165mm) Aluminum Ultra-Slim
Tweeter	(4) 1" (25mm) Beryllium Dome
Mount	Through hole (Optional Brackets)
Finishes	Gloss White, Satin Black, or Custom

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423

Ph: 775.461.7500

www.jamesloudspeaker.com



BRK.Z



BRK.80w

REDEFINING SOUND & SPACE!

20190830