


S30 Downlight Trim

The S30 Downlight Trim is designed with a 4 in (101.6 mm) aperture that can be used with a Halo 5 inch new construction recessed housing to integrate the Ketra PAR 30 long neck lamps into new construction projects.

Only compatible with the 800 lumen option of the Ketra PAR 30 lamp.

Compatible housing:

Halo E51CAT (5 inch IC, Air-Tite, E26)



TRIM ORDERING GUIDE

Trim Color _____

Order code: _____

Trim Color	Code
White	PWH
Black	PBK
Silver	PSR
Bronze	PBZ
Paintable White	CWH





S30 DOWNLIGHT TRIM


P/N 3662601 Rev A

Specifications are subject to change without notice

SPECIFICATIONS


Trim Mechanical

Weight	0.55 lbs (250 g)
Materials	Trim - Cast Aluminum, Powder Coated or Painted Bracket - Corrosion Protected Steel



Accessories

Halo E5 Series Recessed Housing (E5ICAT E26 5 inch) **Purchase online or at your local hardware store**



The E5ICAT housing adjusts in plaster frame to accommodate ceiling thicknesses from 0.375 in to 1 in (9.5 mm to 25.4 mm). Find more details on the Halo Housing, see the spec sheet on Cooper Lighting's website.



KETRA

S30 DOWNLIGHT TRIM

P/N 3662601 Rev A
Specifications are subject to change without notice

TRIM COLORS




White/Paintable White



Black




Silver



Bronze

DESIGN COMPONENTS





S30 DOWNLIGHT TRIM

P/N 3662601 Rev A

Specifications are subject to change without notice

LAMP ORDERING GUIDE (TRIM COMPATIBLE)

This guide provides a subset of options compatible with the S30 Downlight Trim.

For full specifications including explanation of options, performance characteristics, and operating requirements, please see the S30 Lamp Specification Sheet P/N 3662383.


Please download this PDF to use the interactive drop down features of the ordering guide.

S30		11E26			
Product Line	Model	Lumens	System/Beam Angle	Region /Voltage / Base	Lamp Housing Color

Order code: _____

Product Line	Code	System/Beam Angle	Code
Commercial (Athena compatible)	CM-	CCX Flood (15°) ⁵	GTSP
		CCX Flood (25°) ⁵	GTFL
Residential (HomeWorks compatible)	HW-	CCX Wide Flood (40°) ⁵	GTWFL
		CCX Very Wide Flood (60°) ⁵	GTVFL
		CCX Extra Wide Flood (90° BR Style) ^{4,5}	GTXFL
Model		Region/ Voltage/ Base	
S-Series PAR30 Long Neck LED S30 Lamp	S30	North America, 120 V~ 60 Hz, E26	11E26
Lumens		Lamp Housing Color	
800 ¹	08	White	WH
800 High-Efficacy ^{2,3,4}	08H	Black	BK

Ketra S30 Lamp



- ¹ This option is not available for sale in California.
- ² High-efficacy light sources are California Title 20 and Title 24 JA8 compliant.
- ³ High-efficacy only available for design with Clear Connect-Type X systems.
- ⁴ Extra Wide Flood beam angle is not available in the high-efficacy lumen options.
- ⁵ CCX stands for Clear Connect-Type X.

The Ketra logo, Ketra and Clear Connect are trademarks or registered trademarks of Lutron Electronics Co., Inc. in the US and/or other countries.