

SPL3C SOUND BAR

1.5" SHALLOW DEPTH MONO SOUNDBAR



(4) 3.5" (89mm) High Excursion Low-Profile Woofers (1) 1" (25mm) Neodymium Soft Dome Tweeters

The new James SPL3C SoundBar is part of a wide variety of SoundBar designed to deliver excellent sound to any home entertainment system. The SPL3 series features an ultra-thin design at only 1.5" (38mm) total depth to seamlessly integrate with the new series of televisions with less than 2" of screen depth. These new plasma/LED speakers feature James' all new proprietary transducers, delivering maximum performance with elegant design.

Each bar is custom sized to fit each individual TV so the speaker can be seamlessly integrated with the TV. The cabinet design features all aircraft grade aluminum for strength, sonic performance, and suitability for outdoor/marine applications, allowing numerous color options as well. Each SPL3 bar comes equipped with high performance, low distortion woofers and tweeters to provide a high output, wide dispersion of sound across a broad range of frequencies.

The SPL3C is designed as a center channel but can also be used in many other applications as a single speaker. The slim design of this speaker makes it an ideal choice for recessing into an outdoor railing or post to provide integrated and discrete sound in any area. Brackets ordered separately. For outdoor/marine applications, order the SPL3CM.

Size	4 h x Custom Sized w x 1.5 d (in) 101 h x Custom Sized w x 38 d (mm)
Freq Response	80Hz-22 kHz \pm 3dB
Impedance	4 ohms
Sensitivity	86dB 2.83V /1m
Power req.	50 - 100W
Woofer	(4) 3.5" (89mm) High Excursion
Tweeter	(1) 1" (25mm) Neodymium Soft Dome
Finishes	STUDIOBK, STBK, GLBK, DKT1, LITI, MRSLV
Brackets	Ordered Separately

COLOR CODES:
Studio Black (STUDIOBK)
Satin Black (STBK)
Gloss Black (GLBK)
Dark Titanium (DKT1)
Light Titanium (LITI)
Mirror Silver (MRSLV)



James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: +1.775.461.7500
www.jamesloudspeaker.com

A NEW STANDARD HAS EMERGED

20190211

SPL3CS pr. SoundBar

1.5" SHALLOW DEPTH CENTERGY SOUNDBAR PAIR



(4) 3.5" (89mm) High Excursion Low-Profile Woofers

(2) 1" (25mm) Neodymium Soft Dome Tweeters

Features James Centergy Dual Monaural Technology

The new James SPL3CS SoundBar is part of a wide variety of SoundBar designed to deliver excellent sound to any home entertainment system. The SPL3 series features an ultra-thin design at only 1.5" (38mm) total depth to seamlessly integrate with the new series of televisions with less than 2" of screen depth. These new plasma/LED speakers feature James' all new proprietary transducers, delivering maximum performance with elegant design.

Each bar is custom sized to fit each individual TV so the speaker can be seamlessly integrated with the TV. The cabinet design features all aircraft grade aluminum for strength, sonic performance, and suitability for outdoor/marine applications, allowing numerous color options as well. Each SPL3 SoundBar comes equipped with high performance, low distortion woofers and tweeters to provide a high output, wide dispersion of sound across a broad range of frequencies.

The SPL3CS is designed as a centergy system. A pair of bars is mounted to either side of the TV, giving a right and left channel on either side as well as a center channel split between the two bars. The slim design of this speaker makes it an ideal choice for recessing into an outdoor railing or post to provide integrated and discrete sound in any area. Brackets ordered separately. For outdoor/marine applications, order the SPL3CSM.

Size	Custom h x 4" w x 1.5 d (in)
	Custom h x 102 w x 38 d (mm)
Freq Response	80Hz-22 kHz ±3dB
Impedance	8 ohms/Channel
Sensitivity	86dB 2.83V /1m
Power req.	50 - 100W/Channel
Woofer	(4) 3.5" (89mm) High Excursion
Tweeter	(2) 1" (25mm) Neodymium Soft Dome
Finishes	STUDIOBK, STBK, GLBK, DKT1, LITI, MRSLV
Brackets	Ordered Separately

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: +1.775.461.7500
www.jamesloudspeaker.com

COLOR CODES:
Studio Black (STUDIOBK)
Satin Black (STBK)
Gloss Black (GLBK)
Dark Titanium (DKT1)
Light Titanium (LITI)
Mirror Silver (MRSLV)



SPL3LCR SoundBar

1.5" SHALLOW DEPTH LCR SOUNDBAR



(6) 3.5" (89mm) High Excursion Woofers (3) 1" (25mm) Neodymium Soft Dome

The new James SPL3LCR SoundBar is part of a wide variety of SoundBar designed to deliver excellent sound to any home entertainment system. The SPL3 series features an ultra-thin design at only 1.5" (38mm) total depth to seamlessly integrate with the new series of televisions with less than 2" of screen depth. These new plasma/LED speakers feature James' all new proprietary transducers, delivering maximum performance with elegant design.

Each bar is custom sized to fit each individual TV so the speaker can be seamlessly integrated with the TV. The cabinet design features all aircraft grade aluminum for strength, sonic performance, and suitability for outdoor/marine applications, allowing numerous color options as well.

Each SPL3 SoundBar comes equipped with high performance, low distortion woofers and tweeters to provide a high output, wide dispersion of sound across a broad range of frequencies. The slim design of this speaker makes it an ideal choice for recessing into an outdoor railing or post to provide integrated and discrete sound in any area. The optional James BRK.SPL3.UN universal bracket (sold in pairs) allows for easy mounting to most displays and has adjustments to make the SoundBar perfectly fit the look of the TV. For wall mounting, optional Z-brackets and U-brackets can be purchased separately.

For outdoor/marine applications, order the SPL3LCRM.

Size	4 h x Custom Sized w x 1.5 d (in) 101 h x Custom Sized w x 38 d (mm)
Freq Response	80Hz-22 kHz±3dB
Impedance	8 ohms/Channel
Sensitivity	86dB 2.83V /1m
Power req.	50 - 100W/Channel
Woofer	(6) 3.5" (89mm) High Excursion
Tweeter	(3) 1" (25mm) Neodymium Soft Dome
Finishes	STUDIOBK, STBK, GLBK, DKTl, LITl, MRSLV.
Brackets	Ordered Separately

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: +1.775.461.7500
www.jamesloudspeaker.com

COLOR CODES:
Studio Black (STUDIOBK)
Satin Black (STBK)
Gloss Black (GLBK)
Dark Titanium (DKTl)
Light Titanium (LITl)
Mirror Silver (MRSLV)



BRK.Z



BRK.U4

SPL3LR SoundBar

1.5" SHALLOW DEPTH STEREO SOUNDBAR



(4) 3.5" (89mm) High Excursion Woofers (2) 1" (25mm) Neodymium Soft Dome Tweeters

The new James SPL3LR SoundBar is part of a wide variety of SoundBar designed to deliver excellent sound to any home entertainment system. The SPL3 series features an ultra-thin design at only 1.5" (38mm) total depth to seamlessly integrate with the new series of televisions with less than 2" of screen depth. These new plasma/LED speakers feature James' all new proprietary transducers, delivering maximum performance with elegant design.

Each bar is custom sized to fit each individual TV so the speaker can be seamlessly integrated with the TV. The cabinet design features all aircraft grade aluminum for strength, sonic performance, and suitability for outdoor/marine applications, allowing numerous color options as well.

Each SPL3 SoundBar comes equipped with high performance, low distortion woofers and tweeters to provide a high output, wide dispersion of sound across a broad range of frequencies.

The SPL3LR is designed as a stereo TV bar but can also be used in many other applications as a stereo speaker. The slim design of this speaker makes it an ideal choice for recessing into an outdoor railing or post to provide integrated and discrete sound in any area. Brackets ordered separately. For outdoor/marine applications, order the SPL3LRM.

Size	4 h x Custom Sized w x 1.5 d (in) 101 h x Custom Sized w x 38 d (mm)
Freq Response	80Hz-22 kHz±3dB
Impedance	8 ohms/Channel
Sensitivity	86dB 2.83V /1m
Power req.	50 - 100W/Channel
Woofer	(4) 3.5" (89mm) High Excursion
Tweeter	(2) 1" (25mm) Neodymium Soft Dome
Finishes	STUDIOBK, STBK, GLBK, DKTl, LITI, MRSLV.
Brackets	Ordered Separately

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423
Ph: +1.775.461.7500
www.jamesloudspeaker.com

COLOR CODES:
Studio Black (STUDIOBK)
Satin Black (STBK)
Gloss Black (GLBK)
Dark Titanium (DKTl)
Light Titanium (LITI)
Mirror Silver (MRSLV)



BRK.Z



BRK.U4

SPL3LCR-55 **FIXED-WIDTH SoundBar**

1.5" SHALLOW DEPTH LCR SOUNDBAR — 55" DISPLAYS



(6) 3.5" (89mm) High Excursion Woofers (3) 1" (25mm) Neodymium Soft Dome

Designed for 55" displays, the new James SPL3LCR-55 fixed width SoundBar is part of a wide variety of SoundBars designed to deliver excellent sound to any home entertainment system. The SPL3 series features an ultra-thin design at only 1.5" (38mm) total depth to seamlessly integrate with the new series of televisions and displays with less than 2" of screen depth.

Each SPL3 SoundBar features all new proprietary high performance, low distortion woofers and tweeters to provide a high output and wide dispersion of sound across a broad range of frequencies. Providing bass down to 80 Hz — the SPL3 SoundBars set a new standard in a bar only 1.5" deep!

The cabinet design features all aircraft grade aluminum for strength, sonic performance and durability and are finished in a rich black finish to provide an elegant visual.

Z-brackets are supplied for wall mounting. The optional James BRK.SPL3.UN universal bracket (sold in pairs) allows for easy mounting to most displays.

Size	4 h x 48 w x 1.5 d (in) 102 h x 1219 w x 38 d (mm)
Freq Response	80Hz-22 kHz±3dB
Impedance	8 ohms/Channel
Sensitivity	86dB 2.83V /1m
Power req.	50 - 100W/Channel
Woofer	(6) 3.5" (89mm) High Excursion
Tweeter	(3) 1" (25mm) Neodymium Soft Dome
Finish	Satin Black
Brackets	Ordered Separately

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423

Ph:+1.775.461.7500

www.jamesloudspeaker.com



A NEW STANDARD HAS EMERGED

20190410

SPL3LCR-65 FIXED-WIDTH SoundBar

1.5" SHALLOW DEPTH LCR SOUNDBAR — 65" DISPLAYS



(6) 3.5" (89mm) High Excursion Woofers (3) 1" (25mm) Neodymium Soft Dome

Designed for 65" displays, the new James SPL3LCR-65 fixed width SoundBar is part of a wide variety of SoundBars designed to deliver excellent sound to any home entertainment system. The SPL3 series features an ultra-thin design at only 1.5" (38mm) total depth to seamlessly integrate with the new series of televisions and displays with less than 2" of screen depth.

Each SPL3 SoundBar features all new proprietary high performance, low distortion woofers and tweeters to provide a high output and wide dispersion of sound across a broad range of frequencies. Providing bass down to 80 Hz — the SPL3 SoundBars set a new standard in a bar only 1.5" deep!

The cabinet design features all aircraft grade aluminum for strength, sonic performance and durability and are finished in a rich black finish to provide an elegant visual.

Z-brackets are supplied for wall mounting. The optional James BRK.SPL3.UN universal bracket (sold in pairs) allows for easy mounting to most displays.

Size	4 h x 57 w x 1.5 d (in) 102 h x 1448 w x 38 d (mm)
Freq Response	80Hz-22 kHz±3dB
Impedance	8 ohms/Channel
Sensitivity	86dB 2.83V /1m
Power req.	50 - 100W/Channel
Woofer	(6) 3.5" (89mm) High Excursion
Tweeter	(3) 1" (25mm) Neodymium Soft Dome
Finish	Satin Black
Brackets	Ordered Separately

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423

Ph:+1.775.461.7500

www.jamesloudspeaker.com



A NEW STANDARD HAS EMERGED

20190410

SPL3LCR-75 **FIXED-WIDTH SoundBar**

1.5" SHALLOW DEPTH LCR SOUNDBAR — 75" DISPLAYS



(6) 3.5" (89mm) High Excursion Woofers **(3) 1" (25mm) Neodymium Soft Dome**

Designed for 75" displays, the new James SPL3LCR-75 fixed width SoundBar is part of a wide variety of SoundBars designed to deliver excellent sound to any home entertainment system. The SPL3 series features an ultra-thin design at only 1.5" (38mm) total depth to seamlessly integrate with the new series of televisions and displays with less than 2" of screen depth.

Each SPL3 SoundBar features all new proprietary high performance, low distortion woofers and tweeters to provide a high output and wide dispersion of sound across a broad range of frequencies. Providing bass down to 80 Hz — the SPL3 SoundBars set a new standard in a bar only 1.5" deep!

The cabinet design features all aircraft grade aluminum for strength, sonic performance and durability and are finished in a rich black finish to provide an elegant visual.

Z-brackets are supplied for wall mounting. The optional James BRK.SPL3.UN universal bracket (sold in pairs) allows for easy mounting to most displays.

Size	4 h x 65 7/8 w x 1.5 d (in) 102 h x 1673 w x 38 d (mm)
Freq Response	80Hz-22 kHz±3dB
Impedance	8 ohms/Channel
Sensitivity	86dB 2.83V /1m
Power req.	50 - 100W/Channel
Woofer	(6) 3.5" (89mm) High Excursion
Tweeter	(3) 1" (25mm) Neodymium Soft Dome
Finish	Satin Black
Brackets	Ordered Separately

James
LOUDSPEAKER

2185 Park Place, Minden, NV 89423

Ph:+1.775.461.7500

www.jamesloudspeaker.com



A NEW STANDARD HAS EMERGED

20190410