

# SPL6LCR-BEQ SOUND BAR

6.5" FULL-RANGE HIGH-OUTPUT LCR SOUND BAR - 4" DEPTH



## (4-6) 6.5" (165mm) Low-Profile Aluminum Woofers (12) 1" (25mm) Beryllium Dome Quad-Array Tweeter

- Size 8.125h x Custom Sized w x 4 d (in)  
203 h x Custom Sized w x 101 d (mm)
- Freq Response 60Hz-40kHz±3dB
- Impedance 4/8 ohms/Channel
- Sensitivity 96 dB 2.83V /1m
- Power req. 50 - 200W/Channel
- Woofer (4-6) 6.5" (165mm) Aluminum
- Tweeter (12) 1" (25mm) Beryllium Dome
- Finishes STUDIOBK, STBK, GLBK, DKTl, LITI, MRSLV
- Brackets PL-B-CUSTOM (Ordered Separately)

COLOR CODES:  
Studio Black (STUDIOBK)  
Satin Black (STBK)  
Gloss Black (GLBK)  
Dark Titanium (DKTl)  
Light Titanium (LITI)  
Mirror Silver (MRSLV)

The SPL6LCR-BEQ is James Loudspeaker's premier full range, high output LCR SoundBar for large format video displays. Representing the ultimate home entertainment sound system, this SoundBar offers a powerful punch in an elegantly designed package. Using the same quad-tweeter technology as the BE reference series, as well as James' low profile high output aluminum woofers, the SPL6LCR-BEQ delivers unrivaled audio performance. With an impressive 96dB sensitivity with bass down below 60Hz, this SoundBar comes custom fit to each TV, providing seamless integration to any environment. This combination of elegant design and high quality sound makes the SPL6LCR-BEQ the perfect no-compromise solution for designers and audiophiles alike.

The cabinet design features all aircraft grade aluminum for strength, sonic performance, and suitability for outdoor/marine applications. Complete with a custom fit and colored stainless steel perforated grille, this SoundBar mounts directly to any TV. Also available for wall mounting or configurable for other custom applications, this ultimate SoundBar is perfect for any home entertainment solution.

Brackets ordered separately. For outdoor/marine applications, order the SPL6LCR-BEQM.



2185 Park Place, Minden, NV 89423  
Ph:+1.775.461.7500  
www.jamesloudspeaker.com



BRK.Z



BRK.U5

## A NEW STANDARD HAS EMERGED

# SPL6QC **SOUND**BAR

6.5" FULL-RANGE LEFT, RIGHT OR CENTER SOUNDBAR - 4" DEPTH



## **(2-4) 6.5" (165mm) Aluminum Cone Woofers** **(4) 0.75" (19mm) Aluminum Dome Tweeters in Quad-Arrays**

Size	8.125 h x Custom Sized w x 4 d (in) 203 h x Custom Sized w x 101 d (mm)
Freq Response	60Hz-24 kHz±3dB
Impedance	4/8 ohms
Sensitivity	94dB 2.83V /1m
Power req.	50 -200W
Woofer	(2-4) 6.5" (165mm) Aluminum
Tweeter	(4) 0.75" (19mm) Aluminum
Finishes	STUDIOBK, STBK, GLBK, DKTI, LITI, MRSLV
Brackets	PL-B-CUSTOM (Ordered Separately)

COLOR CODES:  
Studio Black (STUDIOBK)  
Satin Black (STBK)  
Gloss Black (GLBK)  
Dark Titanium (DKTI)  
Light Titanium (LITI)  
Mirror Silver (MRSLV)

The SPL6QC raises the bar in sound output and wide frequency response. James Loudspeaker has taken their proprietary quad-tweeter technology from the BE reference series and scaled it down to a compact array of four 0.75" (19mm) aluminum dome tweeters to provide a wide dispersion angle. When combined with James' high output 6.5" (165mm) woofers, the SPL6QC has a remarkable 91dB sensitivity with bass down below 60Hz, delivering high efficiency, low distortion, and crisp clear audiophile sound. Designed as a center channel, the SPL6QC is perfect for any single channel application, including right, left, or center channels.

The cabinet design features all aircraft grade aluminum for strength, sonic performance, and suitability for outdoor/marine applications. Complete with a custom fit and colored stainless steel perforated grille, this SoundBar mounts directly to any TV. James custom fits each SoundBar to fit your TV perfectly to seamlessly integrate this speaker into any entertainment system, delivering a subdued visual effect, designed to be as unobtrusive as possible. Also available for wall mounting or configurable for other custom applications, this SoundBar combines high quality audio with elegant design for the perfect home entertainment solution.

Brackets ordered separately. For outdoor/marine applications, order the SPL6QCM.



BRK.Z



BRK.U5

*James*  
LOUDSPEAKER

2185 Park Place, Minden, NV 89423  
Ph:+1.775.461.7500  
www.jamesloudspeaker.com

## **A NEW STANDARD HAS EMERGED**

20190611

# SPL6QCS pr. SoundBar

6.5" FULL-RANGE DUAL MONAURAL CENTERGY SOUNDBAR PAIR - 4" DEPTH



## (3) 6.5" (165mm) Aluminum Cone Woofers (8) 0.75" (19mm) Aluminum Dome Tweeters in Quad-Arrays Features James Centergy Dual Monaural Technology

Size	8.125 h x Custom Sized w x 4 d (in) 203 h x Custom Sized w x 101 d (mm)
Freq Response	60Hz-24 kHz±3dB
Impedance	4/8 ohms (Config. Dependent)
Sensitivity	94dB 2.83V /1m
Power req.	50 -200W/Channel
Woofers	(3) 6.5" (165mm) Aluminum
Tweeter	(8) 0.75" (19mm) Aluminum
Finishes	STUDIOBK, STBK, GLBK, DKTI, LITI, MRSLV
Brackets	PL-B-CUSTOM (Ordered Separately)

COLOR CODES:  
Studio Black (STUDIOBK)  
Satin Black (STBK)  
Gloss Black (GLBK)  
Dark Titanium (DKTI)  
Light Titanium (LITI)  
Mirror Silver (MRSLV)

The SPL6QCS raises the bar in sound output and wide frequency response. James Loudspeaker has taken their proprietary quad-tweeter technology from the BE reference series and scaled it down to a compact array of four 0.75" (19mm) aluminum dome tweeters to provide a wide dispersion angle. When combined with James' high output 6.5" (165mm) woofers, the SPL6QLR has a remarkable 91dB sensitivity with bass down below 60Hz, delivering high efficiency, low distortion, and crisp clear audiophile sound. Designed to use centergy technology, this SoundBar pair combines a right and left channel in either bar with a center channel split between the two, perfect for applications where 3 channels are needed, but the available space is only to the sides of the TV.

The cabinet design features all aircraft grade aluminum for strength, sonic performance, and suitability for outdoor/marine applications. Complete with a custom fit and colored stainless steel perforated grille, this SoundBar mounts directly to any TV. James custom fits each SoundBar to fit your TV perfectly to seamlessly integrate this speaker into any entertainment system, delivering a subdued visual effect, designed to be as unobtrusive as possible. Also available for wall mounting or configurable for other custom applications, this SoundBar combines high quality audio with elegant design for the perfect home entertainment solution.

Brackets ordered separately. For outdoor/marine applications, order the SPL6QCSM.



2185 Park Place, Minden, NV 89423  
Ph:+1.775.461.7500  
www.jamesloudspeaker.com



## A NEW STANDARD HAS EMERGED

# SPL6QLCR SOUND BAR

6.5" FULL-RANGE LCR SOUNDBAR - 4" DEPTH



## **(4-6) 6.5" (165mm) Aluminum Cone Woofers** **(12) 0.75" (19mm) Aluminum Dome Tweeters in Quad-Arrays**

The SPL6QLCR raises the bar in sound output and wide frequency response. James Loudspeaker has taken their proprietary quad-tweeter technology from the BE reference series and scaled it down to a compact array of four 0.75" (19mm) aluminum dome tweeters to provide a wide dispersion angle. When combined with James' high output 6.5" (165mm) woofers, the SPL6QLCR has a remarkable 91dB sensitivity with bass down below 60Hz, delivering high efficiency, low distortion, and crisp clear audiophile sound. Designed as a left, right, and center channel, the SPL6QC is perfect for any 3 channel system application.

The cabinet design features all aircraft grade aluminum for strength, sonic performance, and suitability for outdoor/marine applications. Complete with a custom fit and colored stainless steel perforated grille, this SoundBar mounts directly to any TV. James custom fits each SoundBar to fit your TV perfectly to seamlessly integrate this speaker into any entertainment system, delivering a subdued visual effect, designed to be as unobtrusive as possible. Also available for wall mounting or configurable for other custom applications, this SoundBar combines high quality audio with elegant design for the perfect home entertainment solution.

Brackets ordered separately. For outdoor/marine applications, order the SPL6QLCRM.

- Size 8.125 h x Custom Sized w x 4 d (in)  
203 h x Custom Sized w x 101 d (mm)
- Freq Response 60Hz-24 kHz±3dB
- Impedance 4/8 ohms/Channel
- Sensitivity 94 dB 2.83V /1m
- Power req. 50 -200W/Channel
- Woofer (4-6) 6.5" (165mm) Aluminum
- Tweeter (12) 0.75" (19mm) Aluminum
- Finishes STUDIOBK, STBK, GLBK, DKTI,  
LITI, MRSLV
- Brackets PL-B-CUSTOM (Ordered Separately)

COLOR CODES:  
Studio Black (STUDIOBK)  
Satin Black (STBK)  
Gloss Black (GLBK)  
Dark Titanium (DKTI)  
Light Titanium (LITI)  
Mirror Silver (MRSLV)



2185 Park Place, Minden, NV 89423  
Ph:+1.775.461.7500  
www.jamesloudspeaker.com



## A NEW STANDARD HAS EMERGED

# SPL6QLR SOUND BAR

6.5" FULL-RANGE STEREO SOUNDBAR - 4" DEPTH



## (4) 6.5" (165mm) Aluminum Cone Woofers (8) 0.75" (19mm) Aluminum Dome Tweeters in Quad-Arrays

The SPL6QLR raises the bar in sound output and wide frequency response. James Loudspeaker has taken their proprietary quad-tweeter technology from the BE reference series and scaled it down to a compact array of four 0.75" (19mm) aluminum dome tweeters to provide a wide dispersion angle. When combined with James' high output 6.5" (165mm) woofers, the SPL6QLR has a remarkable 91dB sensitivity with bass down below 60Hz, delivering high efficiency, low distortion, and crisp clear audiophile sound. Designed as a left and right channel, the SPL6QC is perfect for any stereo system application.

The cabinet design features all aircraft grade aluminum for strength, sonic performance, and suitability for outdoor/marine applications. Complete with a custom fit and colored stainless steel perforated grille, this SoundBar mounts directly to any TV. James custom fits each SoundBar to fit your TV perfectly to seamlessly integrate this speaker into any entertainment system, delivering a subdued visual effect, designed to be as unobtrusive as possible. Also available for wall mounting or configurable for other custom applications, this SoundBar combines high quality audio with elegant design for the perfect home entertainment solution.

Brackets ordered separately. For outdoor/marine applications, order the SPL6QLRM.

- Size 8.125 h x Custom Sized w x 4 d (in)  
203 h x Custom Sized w x 101 d (mm)
- Freq Response 60Hz-24 kHz±3dB
- Impedance 4/8 ohms (Config. Dependent)
- Sensitivity 94dB 2.83V /1m
- Power req. 50 -200W/Channel
- Woofer (4) 6.5" (165mm) Aluminum
- Tweeter (8) 0.75" (19mm) Aluminum
- Finishes STUDIOBK, STBK, GLBK, DKT1, LITI, MRSLV
- Brackets PL-B-CUSTOM (Ordered Separately)

COLOR CODES:  
Studio Black (STUDIOBK)  
Satin Black (STBK)  
Gloss Black (GLBK)  
Dark Titanium (DKT1)  
Light Titanium (LITI)  
Mirror Silver (MRSLV)



BRK.Z



BRK.U5

*James*  
LOUDSPEAKER

2185 Park Place, Minden, NV 89423  
Ph:+1.775.461.7500  
www.jamesloudspeaker.com

## A NEW STANDARD HAS EMERGED

# SPL6QLR-P POWERED SOUNDBAR

6.5" FULL-RANGE STEREO POWERED SOUNDBAR - 4" DEPTH



**(2-8) 6.5" (165mm) Aluminum Cone Woofers**  
**(8) 0.75" (19mm) Aluminum Dome Tweeters in Quad-Arrays**  
**Built-In 2 x 100 watt amplifier with IR sensor**

Size	8.125 h x Custom Sized w x 4 d (in) 203 h x Custom Sized w x 101 d (mm)
Freq Response	55Hz-24kHz±3dB
Max SPL	111-114 dB/1m
Woofer	(2-8) 5.25" (133mm) Aluminum
Tweeter	(8) 0.75" (19mm) Aluminum
Finishes	Studio Black (STUDIOBK), Satin Black (STBK), Gloss Black (GLBK), Dark Titanium (DKTI), Light Titanium (LITI), Mirror Silver (MRSLV)
Brackets	BRK.SPL6.UN (Ordered Separately)
Amp Power	2 x 100 watts, Bi-amped
Inputs	AUX/Analog In (RCA Jacks), Coax Digital In (RCA Jack), Optical/Digital In (TosLink), HDMI-ARC, Bluetooth
Outputs	Subwoofer Pre-Out (RCA Jack)

The SPL6QLR-P Powered SoundBar features a James Loudspeaker designed amplifier built into the center of the bar. The powered SoundBar amplifier inputs include HDMI-ARC, optical, and others (see input section to the left). It sets new levels in sound output and wide frequency response. James Loudspeaker has taken their proprietary quad-tweeter technology from the BE reference series and scaled it down to a compact array of four 0.75" (19mm) aluminum dome tweeters to provide a wide dispersion angle. When combined with James' high output 6.5" (165mm) woofers, the SPL6QLR-P has bass down below 55Hz, delivering high efficiency, low distortion, and crisp clear audiophile sound. Designed as a left and right channel, the SPL6QLR-P is perfect for any stereo system application.

The cabinet design features all aircraft grade aluminum for strength and sonic performance. Complete with a custom fit and colored stainless steel perforated grille, this SoundBar mounts directly to any TV. James custom fits each SoundBar to fit your TV perfectly to seamlessly integrate this speaker into any entertainment system, delivering a subdued visual effect, designed to be as unobtrusive as possible. Also available for wall mounting or configurable for other custom applications, this SoundBar combines high quality audio with elegant design for the perfect home entertainment solution. Brackets ordered separately.

*James*  
LOUDSPEAKER


2185 Park Place, Minden, NV 89423  
Ph:+1.775.461.7500  
www.jamesloudspeaker.com

**A NEW STANDARD HAS EMERGED**

20191111

# SPL6QLR-S SOUND BAR

6.5" 2.1 FORMAT SOUND BAR - 4" DEPTH



Size	8.125 h x custom w x 4 d (in) 206 h x custom w x 102 d (mm)
Freq Response	40Hz-40kHz±3dB
Impedance*	4/8 ohms per Channel
Sensitivity	94dB 2.83V /1m
Power req.	L/R 25-200W/Channel Sub: 50-200W
Woofers*	6.5" (165mm) Aluminum
Tweeters*	0.75" (19mm) Aluminum
Finishes	STUDIOBK, STBK, GLBK, DKTI, LITI, MRSLV
Brackets	BRK.SPL5.UN or PL-B-CUSTOM (Ordered Separately)
COLOR CODES: Studio Black (STUDIOBK) Satin Black (STBK) Gloss Black (GLBK) Dark Titanium (DKTI) Light Titanium (LITI) Mirror Silver (MRSLV)	
*Driver count and impedance are config. dependent	

## 6.5" (165mm) Aluminum Cone Woofers

## 0.75" (19mm) Aluminum Dome Tweeters in Quad-Arrays

The SPL6QLR-S raises the bar in sound output and wide frequency response. James Loudspeaker has taken their proprietary quad-tweeter technology from the BE reference series and scaled it down to a compact array of four 0.75" (19mm) aluminum dome tweeters to provide a wide dispersion angle. When combined with James' high output 6.5" (165mm) woofers, the SPL6QLR-S has a remarkable 94dB sensitivity with bass down below 40Hz, delivering high efficiency, low distortion, and crisp clear audiophile sound. Designed as a left and right channel, the SPL6QLR-S is perfect for any stereo system application.

The cabinet design features all aircraft grade aluminum for strength, sonic performance, and suitability for outdoor/marine applications. Complete with a custom fit and colored stainless steel perforated grille, this SoundBar mounts directly to any TV. James custom fits each SoundBar to fit your TV perfectly to seamlessly integrate this speaker into any entertainment system, delivering a subdued visual effect, designed to be as unobtrusive as possible. Also available for wall mounting or configurable for other custom applications, this SoundBar combines high quality audio with elegant design for the perfect home entertainment solution.

Brackets ordered separately. For outdoor/marine applications, order the SPL6QLR-SM.



BRK.Z



BRK.U5

*James*  
LOUDSPEAKER

2185 Park Place, Minden, NV 89423  
Ph:+1.775.461.7500  
www.jamesloudspeaker.com

## A NEW STANDARD HAS EMERGED

20190611