42UE UE SERIES 3.5" 2-WAY FULL RANGE UNDER EAVE LOUDSPEAKER - 1.5" DEPTH





(1) 1" (25 mm) Soft Dome Tweeter (1) 3.5" (89mm) Aluminum Woofer

The Under-Eave series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, under-eave design. The 42UE is the smallest of these multi-use speakers. Boasting an ultra-slim design at only 1.5" this speaker easily integrates into any environment, both indoor and outdoor. With the James high excursion proprietary woofer, and a neodymium silk dome tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 22kHz all the way down to below 100Hz. This versatile speaker pairs perfectly with the James SPL3 series to provide a compact, ultra-slim surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 42UE is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes an aluminum perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately.



REDEFINING SOUND & SPACE! 20200211

Size 10 h x 4 w x 1.68 d (in) Impedance 8 ohms

254 h x 102 w x 43 d (mm) Freq Response 100Hz-22kHz±3dB Sensitivity 86dB 2.83V /1m Power reg. 25-100 watts Woofer (1) 3.5" (89mm) Aluminum Tweeter (1) 1" (25mm) Soft Dome Mount Through Hole (Optional Brackets) Finishes Gloss White, Satin Black, or Custom

2185 Park Place, Minden, NV 89423 Ph: 775.461.7500 www.jamesloudspeaker.com

43UE UE SERIES 3.5″ 2-WAY FULL RANGE UNDER EAVE LOUDSPEAKER - 1.5″ DEPTH





(1) 1" (25 mm) Soft Dome Tweeter (2) 3.5" (89mm) Aluminum Woofers (Active/Passive)

The Under-Eave series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, under-eave design. The 43UE is just one of these multi-use speakers. Boasting an ultra-slim design at only 1.5" this speaker easily integrates into any environment, both indoor and outdoor. With the James high excursion proprietary woofers, and a neodymium silk dome tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 22kHz all the way down to below 90Hz. This versatile speaker pairs perfectly with the James SPL3 series to provide a compact, ultra-slim surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 43UE is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes an aluminum perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately.



Freq Response Impedance

355 h x 101 w x 38 d (mm) 90Hz-22kHz±3dB 8 ohms Sensitivity 86dB 2.83V /1m Power reg. 25-100 watts Woofer (2) 3.5" (89mm) Aluminum (Active/Passive) Tweeter (1) 1" (25mm) Soft Dome Mount Through Hole (Optional Brackets) Finishes Gloss White, Satin Black, or Custom

Size 14 h x 4 w x 1.5 d (in)

2185 Park Place, Minden, NV 89423 Ph: 775.461.7500 www.jamesloudspeaker.com

REDEFINING SOUND & SPACE!

20200211

5200E UE SERIES 2-WAY FULL RANGE UNDER EAVE LOUDSPEAKER - 3.5" DEPTH





(4) 0.75" (19mm) Aluminum Dome Quad-Array Tweeter (1) 5.25" (89mm) Aluminum Woofer

The Under-Eave series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, under-eave design. The 52QUE is just one of these multi-use speakers. Boasting a compact design this speaker easily integrates into any environment, both indoor and outdoor. With the James high excursion proprietary woofers, and the signature James aluminum dome quad-array tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 24kHz all the way down to below 70Hz, with an impressive sensitivity of 88dB. This versatile speaker pairs perfectly with the James SPL5 series to provide a compact surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 52QUE is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes an aluminum perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately.

Mount Finishes

Freq Response 70Hz-24kHz±3dB Impedance 8 ohms Sensitivity 88dB 2.83V /1m Power req. 20 -150 watts Woofer (1) 5.25" (89mm) Aluminum Tweeter (4) .75" (19mm) Aluminum Dome Through Hole (Optional Brackets) Gloss White, Satin Black, or Custom

Size 12.5 h x 5.75 w x 3.5 d (in)

318 h x 146 w x 89 d (mm)



2185 Park Place, Minden, NV 89423 Ph: 775.461.7500 www.jamesloudspeaker.com

REDEFINING SOUND & SPACE!

20200211

5300E UE SERIES 2-WAY FULL RANGE UNDER EAVE LOUDSPEAKER - 3.5" DEPTH





(4) 0.75" (19mm) Aluminum Dome Quad-Array Tweeter Array(2) 5.25" (89mm) Aluminum Woofers

The Under-Eave series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, under-eave design. The 53QUE is just one of these multi-use speakers. Boasting a compact design this speaker easily integrates into any environment, both indoor and outdoor. With the James high excursion proprietary woofers, and the signature James aluminum dome quad-array tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 24kHz all the way down to below 68Hz, with an impressive sensitivity of 89dB. This versatile speaker pairs perfectly with the James SPL5 series to provide a compact surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 53QUE is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes an aluminum perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately.



2185 Park Place, Minden, NV 89423 Ph: 775.461.7500 www.jamesloudspeaker.com

Size 20 h x 5.75 w x 3.5 d (in)

Woofer (2) 5.25" (89mm) Aluminum

or Custom

Tweeter (4) .75" (19mm) Aluminum Dome

Mount Through Hole (Optional Brackets)

Gloss White, Satin Black,

Freq Response 68Hz-24kHz±3dB

Sensitivity 89dB 2.83V /1m Power req. 50 -200 watts

Impedance 4 ohms

Finishes

508 h x 146 w x 89 d (mm)

REDEFINING SOUND & SPACE! 20200211

6200E UE SERIES 2-WAY FULL RANGE UNDER EAVE LOUDSPEAKER - 4" DEPTH






(4) 0.75" (19mm) Aluminum Dome Quad-Array Tweeter (1) 6.5" (165mm) Aluminum Woofer

The Under-Eave series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, under-eave design. The 62QUE is just one of these multi-use speakers. Boasting a compact design this speaker easily integrates into any environment, both indoor and outdoor. With the James high excursion proprietary woofers, and the signature James aluminum dome guad-array tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 24kHz all the way down to below 68Hz, with an impressive sensitivity of 91dB. This versatile speaker pairs perfectly with the James SPL6 series to provide a compact surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 62QUE is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes an aluminum perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately.



406 h x 206 w x 102 d (mm) Freq Response 68Hz-24kHz±3dB Sensitivity 91dB 2.83V /1m Power reg. 25-200 watts Woofer (1) 6.5" (165mm) Aluminum Tweeter (4) .75" (19mm) Aluminum Dome Mount Through Hole (Optional Brackets) Gloss White, Satin Black, or Custom

Size 16 h x 8.125 w x 4" d (in)



2185 Park Place, Minden, NV 89423 Ph: 775.461.7500 www.jamesloudspeaker.com



6300E UE SERIES 3-WAY FULL RANGE UNDER EAVE LOUDSPEAKER - 4" DEPTH





(4) 0.75" (19mm) Aluminum Dome Quad-Array Tweeter (2) 6.5" (165mm) Aluminum Woofers

The Under-Eave series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, under-eave design. The 63QUE is just one of these multi-use speakers. Boasting a compact design this speaker easily integrates into any environment, both indoor and outdoor. With the James high excursion proprietary woofers, and the signature James aluminum dome quad-array tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 24kHz all the way down to below 65Hz, with an impressive sensitivity of 92dB. This versatile speaker pairs perfectly with the James SPL6 series to provide a compact surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 63QUE is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes an aluminum perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately.

Gloss White, Satin Black, Finishes or Custom

Size 22 h x 8.125 w x 4" d (in)

Woofer (2) 6.5" (165mm) Aluminum

Tweeter (4) .75" (19mm) Aluminum Dome

Mount Through Hole (Optional Brackets)

Freq Response 65Hz-24kHz±3dB

Sensitivity 92dB 2.83V /1m Power reg. 25 -200 watts

Impedance 4 ohms

572 h x 206 w x 102 d (mm)

2185 Park Place, Minden, NV 89423 Ph: 775.461.7500 www.jamesloudspeaker.com

REDEFINING SOUND & SPACE!

66000E ue series 2-way full range under eave loudspeaker - 4" depth







Size27 h x 8.125 w x 4" d (in)
685 h x 206 w x 102 d (mm)Freq Response65Hz-40kHz±3dBImpedance4 ohmsSensitivity95dB 2.83V /1mPower req.25 -200 wattsWoofer(2) 6.5" (165mm) AluminumTweeter(4) 1" (25mm) Titanium Quad-arrayMountThrough Hole (Optional Brackets)FinishesGloss White, Satin Black,
or Custom



2185 Park Place, Minden, NV 89423 Ph: 775.461.7500 www.jamesloudspeaker.com



(4) 1″ (25mm) Titanium Dome Quad-Array Tweeter (2) 6.5″ (165mm) Aluminum Woofers

The Under-Eave series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, under-eave design. The 66QUE is just one of these multi-use speakers. Boasting a compact design this speaker easily integrates into any environment, both indoor and outdoor. With the James high excursion proprietary woofers, and an ultra-low distortion beryllium dome quad-array tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 40kHz all the way down to below 65Hz, with an impressive sensitivity of 95dB. This versatile speaker pairs perfectly with the James SPL6-QBE series to provide a compact surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 66QUE is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes an aluminum perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately.



BRK.Z

20200211

68000E ue series 3-way full range under eave loudspeaker - 4" depth





Size 40 h x 8.125 w x 4" d (in) 1016 h x 206 w x 102 d (mm) Freq Response 60Hz-40kHz±3dB Impedance 4 ohms Sensitivity 96dB 2.83V /1m Power req. 25 -200 watts Woofer (4) 6.5" (165mm) Aluminum Tweeter (4) 1" (25mm) Titanium Quad-array Mount Through Hole (Optional Brackets) Finishes Gloss White, Satin Black, or Custom

2185 Park Place, Minden, NV 89423 Ph: 775.461.7500 www.jamesloudspeaker.com



(4) 1" (25mm) Titanium Dome Quad-Array Tweeter (4) 6.5" (165mm) Aluminum Woofers

The Under-Eave series of speakers is exactly what you'd expect from James Loudspeaker, high quality audio and durability in a sleek, versatile, under-eave design. The 68QUE is just one of these multi-use speakers. Boasting a compact design this speaker easily integrates into any environment, both indoor and outdoor. With the James high excursion proprietary woofers, and an ultra-low distortion beryllium dome quad-array tweeter, this compact speaker offers silky smooth response across a broad range of frequencies from 40kHz all the way down to below 60Hz, with an impressive sensitivity of 96dB. This versatile speaker pairs perfectly with the James SPL6-QBE series to provide a compact surround sound system, delivering crystal clear audio with minimal visual impact. It can also easily be used as a standalone on-wall or bookshelf speaker with or without a companion James subwoofer.

The 68QUE is constructed entirely of aircraft grade aluminum for strength, sonic performance, and durability, and includes an aluminum perforated grille to provide years of trouble free use. Blind through holes are incorporated into each speaker for wall mounting or brackets can be purchased separately.



REDEFINING SOUND & SPACE!