



PRODUCT CATALOG



Contents

DIRECTIONAL/ACCENT LIGHTS

- V3 | Visionary Series Spotlight | 12
- V2 | Visionary Series Spotlight | 13
- V1 | Visionary Series Spotlight | 14
- X5 | High Power Spotlight | 15
- MS | Mini Spotlight with Knuckle | 16
- MSL | Mini Spotlight with Leg | 17

MOONLIGHTS/DOWNLIGHTS

- V3 DWN | Visionary Series Downlight | 20
- HL & MHL | Hanging Lights | 21

WALL WASHERS

- WW | Wall Washer | 24
- MWW | Mini Wall Washer | 25

WELL LIGHTS

- WL | Well Light | 28
- MWL | Mini Well Light | 29
- Eagle Eye | Predator Series Recessed Light | 30
- Hawk Eye | Predator Series Recessed Light | 31
- Falcon Eye | Predator Series Recessed Light | 32

SPECIALTY LIGHTS

- S3 | Submersible Super Saturn | 36
- S2 | Super Saturn | 37
- S1 | Mini Saturn | 38
- S1H | Saturn Halo | 39

MM15-II | Micro Max | 40

Tiger Eye | Micro Series Specialty Light | 41

Owl | Micro Series Specialty Light | 42

Ram | Micro Series Specialty Light | 43

Rock | Micro Series Specialty Light | 44

RW | Rock Wall | 45

CW UDL | Up/Down Wall Light | 46

PATHWAY/AREA LIGHTS

P0-II | Path Light | 50

P1 | Path Light | 51

P1.90 | Curved Path Light | 52

P2 | Path Light | 53

P3 | Path Light | 54

P4 | Path Light | 55

P9 | Path Light | 56

P10 | Path Light | 57

P11 | Path Light | 58

P12 | Path Light | 59

P14 | Path Light | 60

X-Light-Sgl | Single Sided | 61

X-Light-DbI | Double Sided | 62

Traditional Leaf | Path Light | 63

Maple Leaf | Path Light | 64

Tropical Leaf | Path Light | 65

PL | Brass Series | 66

F9020 | Miami Path Light | 67

DECK LIGHTS

DL15-II | Micro Deck Light | 70

DL 20 | Large Deck Light | 71

DL15 Curve | Deck Light Curve | 72

DL15 PC | Pool Cage Light | 73

TURTLE-FRIENDLY LIGHTS

TF | Turtle-Friendly Specialty Lights | 76


TF | Turtle-Friendly Path Lights | 77

TRANSFORMERS

LED Transformers | 78

Company

While many landscape lighting fixtures are manufactured in foreign countries, Garden Light LED proudly builds all LED products in our Tampa, Florida factory. Garden Light LED fixtures are the product of intense collaboration and are engineered, designed, and assembled in the United States, allowing us to maintain the purity of the Garden Light LED standard.




Garden Light LED is a relationship-based company that creates high-quality, innovative, and environmentally sensitive landscape lighting products designed to improve the lives of our partners and enrich their capacity to realize their desired future.

“By watering others, we water ourselves.”

—Reto Mueller, owner



Mission



Customer Service. Our focus is growing the businesses of our customers. We understand our customers' needs, concerns, and aspirations to deliver superior performance. We are responsive, straightforward, and committed in all dealings with our customers. **Our goal is to be your most valued vendor.**

High Quality Craftsmanship. We are committed to providing quality LED lighting fixtures built to last a lifetime. From our engineering to our chips, there is true craftsmanship in everything we do.

Human Connection. Our success is firmly rooted in **people**. We support a commitment to family and personal life, and support our employees as they contribute to the health and well-being of the communities in which they live.



Values



Directional/ Accent Lights

V3 | Visionary Series Spotlight

Ideal for uplighting, shadowing, wall washing, silhouetting, and architectural accents

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red ● Fuchsia
- Lavender

AVAILABLE FINISHES:

Architectural Bronze (AB), 6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



V2 | Visionary Series Spotlight

Ideal for uplighting, shadowing, wall washing, silhouetting, and architectural accents

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red ● Fuchsia
- Lavender

AVAILABLE FINISHES:

Black (BLK), 6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



V1 | Visionary Series Spotlight*

Ideal for uplighting, shadowing, wall washing, silhouetting, and architectural accents

RPM BULB COLOR TEMPERATURE OPTIONS:

● 3000K Warm White ● 2700K Warm White

* Retro fit fixture. MR-16 bulb sold separately.

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR), Artisan Brass (ABR)



AB

BLK

SSA

BR

ABR

X5 | High Power Spotlight

Ideal for uplighting, shadowing, wall washing, silhouetting, and architectural accents

COLOR TEMPERATURE:

● 3000K Warm White

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK)
6061 Anodized Stainless Aluminum (SSA)



AB

BLK

SSA

SHOWN WITH
OPTIONAL SHROUD

MS | Mini Spotlight with Knuckle

Ideal for uplighting, shadowing, wall washing, silhouetting, and architectural accents

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



MSL | Mini Spotlight with Leg

Ideal for uplighting, shadowing, wall washing, silhouetting, and architectural accents

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)





Moonlights/ Downlights

V3 DWN | Visionary Series Downlight

Ideal for downlighting

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red ● Fuchsia
- Lavender

AVAILABLE FINISHES:

Architectural Bronze (AB)



AB

HL & MHL | Hanging Lights

Ideal for downlighting gazebos and architectural structures

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red ● Fuchsia*
- Lavender*

* These color temperatures are only available for the HL.

AVAILABLE FINISHES:

6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



SSA (MHL)

BR (MHL)

SSA (HL)

BR (HL)



Wall Washers

WW | Wall Washer

Ideal for uplighting, shadowing, wall washing, silhouetting, and architectural accents

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



MWW | Mini Wall Washer

Ideal for uplighting, shadowing, wall washing, silhouetting, and architectural accents

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)





Well Lights

WL | Well Light

Ideal for uplighting, shadowing, wall washing, silhouetting, and architectural accents

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red ● Fuchsia
- Lavender

AVAILABLE FINISHES:

6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



SSA



BR

MWL | Mini Well Light

Ideal for uplighting, shadowing, wall washing, silhouetting, and architectural accents

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



SSA



BR

EAGLE EYE | Predator Series Recessed Light

Ideal for architectural accents and flat surfaces

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



HAWK EYE | Predator Series Recessed Light

Ideal for architectural accents and stairs

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



FALCON EYE | Predator Series Recessed Light

Ideal for defining borders of high-traffic areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



SSA



BR



Application photo shown with Garden Light LED Well Light fixture.



Specialty Lights

S3 | Submersible Super Saturn

Ideal for docks, ponds, tanks, pools, uplighting, and downlighting

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red ● Fuchsia
- Lavender

* Please refer to specification sheet for recommended applications for each finish.

AVAILABLE FINISHES:

Black (BLK), 316 Stainless Steel (SS)



BLK



SS

S2 | Super Saturn

Ideal for uplighting, downlighting, shadowing, wall washing, silhouetting, and architectural accents

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red ● Fuchsia
- Lavender

AVAILABLE FINISHES:


Black (BLK), 6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



BLK



SSA



BR

S1 | Mini Saturn

Ideal for uplighting, shadowing, wall washing, silhouetting, architectural accents, and downlighting

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Black (BLK), Raw Brass (BR)



S1H | Saturn Halo (Submersible)

Ideal for uplighting, shadowing, wall washing, silhouetting, architectural accents, downlighting, and fountains

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

* Please refer to specification sheet for recommended applications for each finish.

AVAILABLE FINISHES:

Black (BLK), White (WHT), 316 Stainless Steel (SS), Raw Brass (BR)



MM15-II | Micro Max

Ideal for railings, water features, ceiling beam downlighting, walkways, decks, gazebos, statues, planters, lanais, fences, fire pits and benches

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

Available in turtle-friendly color temperatures. See page 76 for more information.

AVAILABLE FINISHES:

Black (BLK), Raw Brass (BR)



TIGER EYE | Micro Series Specialty Light

Ideal for railings and walkways

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Black (BLK), Raw Brass (BR)



OWL | Micro Series Specialty Light

Ideal for benches, countertops, stonewalls, and garages

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

Available in turtle-friendly color temperatures. See page 76 for more information.

AVAILABLE FINISHES:

Black (BLK), Raw Brass (BR)



RAM | Micro Series Specialty Light

Ideal for ceiling beam downlighting and gazebos

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Black (BLK), Raw Brass (BR)



ROCK | Micro Series Specialty Light

Ideal for shrubs, statues, and planters

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Black (BLK), Raw Brass (BR)



BLK



BR



RW | Rock Wall

Ideal for decks, railings, gazebos, outdoor kitchens, steps, and fire pits

COLOR TEMPERATURE:


- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISH:

Architectural Bronze (AB)



AB



CW UDL | Up/Down Wall Light

Ideal for decks, railings, pool cages, and wall sconces

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), White (WHT), Raw Brass (BR)



AB



BLK



WHT



BR



Application photo shown with Garden Light LED S3 Submersible Super Saturn.



Pathway/Area Lights

P0-II | Path Light

Ideal for pathways, walkways, patios, and small areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



P1 | Path Light

Ideal for pathways, walkways, patios, and small areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA)



P1.90 | Curved Path Light

Ideal for pathways, walkways, patios, and small areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA)



P2 | Path Light

Ideal for pathways, walkways, patios, and small areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA)



P3 | Path Light

Ideal for pathways, walkways, patios, and small areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



P4 | Path Light

Ideal for pathways, walkways, patios, and small areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

6061 Anodized Stainless Aluminum (SSA)



AB



BLK



SSA



BR



SSA



P9 | Path Light

Ideal for pathways, walkways, patios, and small areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



P10 | Path Light

Ideal for pathways, walkways, patios, and small areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



P11 | Path Light

Ideal for pathways, walkways, patios, and large areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA)



P12 | Path Light

Ideal for pathways, walkways, patios, and small areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



P14 | Path Light

Ideal for pathways, walkways, patios, and small areas

BI-PIN BULB COLOR TEMPERATURE OPTIONS:

● 3000K Warm White ● 2700K Warm White

* Retro fit fixture. Bi-Pin bulb sold separately.

INTEGRATED COLOR TEMPERATURE OPTIONS:

● 3000K Warm White ● 2700K Warm White

● 5000K Neutral White ● Amber ● Blue

● Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK)



AB



BLK

X-LIGHT-SGL | Single Sided

Ideal for pathways, wall sconces, patios, docks, and driveways

COLOR TEMPERATURE:

● 3000K Warm White ● 2700K Warm White

● 5000K Neutral White ● Amber ● Blue

● Royal Blue ● Green ● Red

Available in turtle-friendly color temperatures. See page 77 for more information.

AVAILABLE FINISHES:

Stainless Steel (SS), Raw Brass (BR)



SS



BR

X-LIGHT-DBL | Double Sided

Ideal for pathways, wall sconces, patios, docks, and driveways

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

Available in turtle-friendly color temperatures. See page 77 for more information.

AVAILABLE FINISHES:

Stainless Steel (SS), Raw Brass (BR)



SS



BR

TRADITIONAL LEAF | Path Light

Ideal for pathways, walkways, patios, and small areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA)



AB



BLK



SSA

MAPLE LEAF | Path Light

Ideal for pathways, walkways, patios, and small areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA)



TROPICAL LEAF | Path Light

Ideal for pathways, walkways, patios, and small areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), 6061 Anodized Stainless Aluminum (SSA)



PL | Brass Path Light Series

Ideal for pathways, walkways, patios, and small areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

Available in turtle-friendly color temperatures. See page 77 for more information.

AVAILABLE FINISH:

Solid Brass



F9020 | Miami Path Light

Ideal for pathways, walkways, patios, and small areas

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK)





Deck Lights



DL15-II | Micro Deck Light

Ideal for decks, railings, wall mounts, step lighting, and fences

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

Available in turtle-friendly color temperatures. See page 76 for more information.

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), White (WHT), 6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



DL20 | Large Deck Light

Ideal for decks, railings, wall mounts, step lighting, and fences

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK)



DL15 CURVE | Deck Light Curve

Ideal for decks, railings, wall mounts, step lighting, and fences

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), White (WHT), 6061 Anodized Stainless Aluminum (SSA)



DL15 PC | Pool Cage Light

Ideal for pool cages, decks, railings, wall mounts, step lighting, and fences

COLOR TEMPERATURE:

- 3000K Warm White ● 2700K Warm White
- 5000K Neutral White ● Amber ● Blue
- Royal Blue ● Green ● Red

AVAILABLE FINISHES:

Architectural Bronze (AB), Black (BLK), White (WHT)



Turtle-Friendly Lights

Garden Light LED is proud and excited to participate in the Florida Fish and Wildlife Conservation Commission's (FWC's) wildlife lighting certification process. We offer eight models of LED lights approved and certified to meet and exceed the FWC turtle safety and conservation lighting guidelines.

Through these new FWC wildlife lighting programs, we are able to ensure our lights are helping the ecosystem while also providing our customers with top-of-the-line LED lighting products using the exact light output temperatures required for lighting coastline areas where turtles often return each year to lay their eggs and reproduce.



TF | Turtle-Friendly Specialty Lights

Ideal for decks, railings, wall mounts, step lighting, fences, and gazebos

COLOR TEMPERATURE:

● Amber ● Red ● Extreme Red ● Red Orange

AVAILABLE FINISHES:


Black (BLK), 6061 Anodized Stainless Aluminum (SSA), Raw Brass (BR)



DECK LIGHT SSA



DECK LIGHT BR



MICRO MAX BLK



MICRO MAX BR



OWL BLK



OWL BR



OPTIONAL FULL SHROUD SHOWN



OPTIONAL HALF SHROUD SHOWN

TF | Turtle-Friendly Path Lights

Ideal for pathways, wall sconces, patios, docks, and driveways

COLOR TEMPERATURE:

● Amber ● Red ● Extreme Red ● Red Orange

AVAILABLE FINISHES:

Stainless Steel (SS), Raw Brass, Solid Brass



X-LIGHT SINGLE SIDED SS



X-LIGHT SINGLE SIDED BR



X-LIGHT SINGLE SIDED SS




X-LIGHT SINGLE SIDED BR



PL006 BRASS TIKI



PL013 BRASS VILLA




PL800 BRASS MUSHROOM

Transformers

Garden Light LED's line of transformers is optimized for the low-voltage, 12-volt power demands of LED outdoor landscape lighting systems. That means more energy savings and lower operational costs!

With 100% stainless steel housing and high-quality magnetic secondary breakers, the full Garden Light LED lighting system offers you triple power surge protection. With surge protection on the primary and secondary sides of the transformer, and an additional layer of protection built into each driver, this system is built to last a lifetime.

We offer an array of sizes for any application large or small!



Without our customers' passion for lighting, we would not be the company we are today.

Special thanks to these companies for allowing us to showcase their amazing designs and installations.

*Almonte Electrical Solutions
American Outdoor Lighting
Avanti Outdoor Lighting
B.M. Lightscape
Bolt Outdoor Lighting Pros
Brightscapes Inc.
C&L Landscape Lighting
Elegant Accents
Elite Lighting Design
Illuminate Landscape Designs
LED Artistry
Lite It Up Landscape Lighting
Miami Landscape Lighting
Nightworks Lighting
Northwest Outdoor Lighting
Oregon Outdoor Lighting
Southern Landscape Lighting Systems
Stay Off the Roof
Total Lighting Installation
Yard Sentry
Zuzack Lawn Services*