


Frame LS03HW

**Dimensions in millimeters (+ / - 0.1 mm)*



Frame LS03HW Set Dimension

	55"	65"	75"	85"
SET(With stand) (W * H_Low (H_High) * D)	1237.9 * 744.1(769.1) * 218.2	1456.8 * 866.5(891.5) * 256.8	1682.3 * 998.6(1023.6) * 319.8	1904.3 * 1129.5(1154.5) * 369.0
SET(Without stand) (W * H1 * D1)	1237.9 * 714.3 * 24.9	1456.8 * 836.9 * 24.9	1682.3 * 965.4 * 26.9	1904.3 * 1090.9 * 26.9
* Front Opening Area (A * B * C)	1213.0*683.8*1392.5	1431.9 * 806.9 * 1642.1	1653.6 * 931.7 * 1896.5	1875.4 * 1056.4 * 2150.9
Wall Mount (a * b)	200*200	400 * 300	400 * 400	600 * 400
Packing Out (W * H * D)	US	1375 * 829 * 154	1598 * 933 * 164	1834 * 1082 * 171
Net Weight (With stand) Kg	15.33	22.21	31.15	42.07
Stand Weight Kg	0.15	0.18	0.22	0.42
Net Weight (Without stand) Kg	15.04	21.85	30.71	41.23
Gross Weight Kg	22.08	32.30	40.48	53.68



*Rubber 3.0T

* Stand Low/High Position



* D1 LOGO





SAMSUNG IS NOT RESPONSIBLE FOR INACCURACIES. FOR CRITICAL INSTALLATIONS, IT IS STRONGLY RECOMMENDED TO CONFIRM ALL MEASURES BY USING AN ACTUAL SAMPLE MODEL INTENDED FOR A SPECIFIC INSTALLATION.

Frame LS03HW

**Dimensions in millimeters (+ / - 0.1 mm)*

LS03HW Cover and Rear-View Dimensions

	LS03HW			
	55"	65"	75"	85"
WALL MOUNT(AXD)	200 * 200	400 * 300	400 * 400	600 * 400
B	518.9	527.9	641.1	652.2
C	268.7	266.7	262.3	357.7
E	245.5	269.7	303.0	333.2
X	1237.9	1456.7	1682.3	1904.3
Y	714.3	836.9	965.4	1090.9
Screw Depth	10 - 12	10 - 12	10 - 12	10 - 12







Frame LS03HW

**Dimensions in millimeters (+ / - 0.1 mm)*

LS03HW Cover and Rear-View Dimensions


	LS03HW			
	55"	65"	75"	85"
A	301.0	355.4	468.0	479.1
B	64.7	64.7	65.0	65.0
C	81.1	81.5	82.3	82.3
D	217.9	271.5	318.1	318.2
E	424.7	450.1	562.7	573.8
F	54.5	54.5	54.8	54.8
G	81.8	81.9	82.7	82.7
H	217.4	271.2	317.8	317.9
①	69.4	87.8	121.1	147.1
②	74.1	74.1	74.1	74.1
③	5.5	5.5	5.5	6



Frame LS03HW

**Dimensions in millimeters (+ / - 0.1 mm)*




LS03HW One Connect Box Dimensions



	LS03HW OCB
OC BOX (W*H*D)	295.9 * 37.9 * 127.4

Frame LS03HW

**Dimensions in millimeters (+ / - 0.1 mm)*





LS03HW Bezel Dimensions

	LS03HW											
	55"			65"			75"			85"		
	T	L/R	B	T	L/R	B	T	L/R	B	T	L/R	B
A	12.4	12.4	12.6	12.4	12.4	12.6	14.3	14.3	14.5	14.5	14.5	14.5
B	19.9	19.9	19.9	19.9	19.9	19.9	19.9	19.9	19.9	19.9	19.9	19.9

Frame LS03HW

**Dimensions in millimeters (+ / - 0.1 mm)*



LS03HW Stand Dimensions

	LS03HW			
	55"	65"	75"	85"
STAND (W*H*D)	24.7 * 199.9 * 218.2	24.7 * 219.1 * 256.8	24.7 * 237.8 * 319.8	24.7 * 262.9 * 369.0


LS03HW Distance Between Feet

	LS03HW			
	55"	65"	75"	85"
A	901.9	1041.6	1244.2	1410.2
B	-	-	340.2	360.2

Frame LS03HW

**Dimensions in millimeters (+ / - 0.1 mm)*

2026 New Model IR Sensor Location



Product	Series	Inch	Item	Sensor Position	DIMENSION				
					A	B	C	D	E
Lifestyle	Frame Pro	85	QN85LS03HWFZA	Right	1683.1	74.1	147.1	6.0	-14.2
		75	QN75LS03HWFZA	Right	1487.1	74.1	121.1	5.5	-14.2
		65	QN65LS03HWFZA	Right	1294.8	74.1	87.8	5.5	-14.2
		55	QN55LS03HWFZA	Right	1094.4	74.1	69.4	5.5	-14.2