



Ethos

Style:
White, 1%

Fabric Model No.	Sample Model No.
RF-ETH1-WH	WSF-RF-ETH1-WH

Color(s):

NEW

White, 1%
RF-ETH1-WH

NEW

White, 3%
RF-ETH3-WH

NEW

White, 5%
RF-ETH5-WH

NEW

Pearl, 1%
RF-ETH1-PE

NEW

Pearl, 3%
RF-ETH3-PE

NEW

Pearl, 5%
RF-ETH5-PE

NEW

Linen, 1%
RF-ETH1-LN

NEW


Linen, 3%
RF-ETH3-LN

NEW


Linen, 5%
RF-ETH5-LN

NEW


Taupe, 1%
RF-ETH1-TP




Taupe, 3%
RF-ETH3-TP




Taupe, 5%
RF-ETH5-TP




Ash, 1%
RF-ETH1-AS




Ash, 3%
RF-ETH3-AS




Ash, 5%
RF-ETH5-AS




Carbon, 1%
RF-ETH1-CB




Carbon, 3%
RF-ETH3-CB




Carbon, 5%
RF-ETH5-CB




Espresso, 1%
RF-ETH1-ES




Espresso, 3%
RF-ETH3-ES




Espresso, 5%
RF-ETH5-ES



Jet, 1%
RF-ETH1-JT



Jet, 3%
RF-ETH3-JT



Jet, 5%
RF-ETH5-JT

Details



Collections

The Classico Collection
The Commercial Collection

Shade Type

Roller Shades

Opacity

Sheer

Available Openness Factors

1% 3% 5%

Backing Color

Same as Face Backing

Maximum Usable Width

116 in (2946.4 mm)

Railroadable

No

Seaming

Yes

Fire Rating

NFPA 101

Composition

100% Polyester

Standards / Certifications

PVC-Free
Cradle to Cradle Certified
GREENGUARD Certified
Oeko-Tex Certified
RoHS Compliant

Solar Metrics

Color: White

Openness ^[1]	1%
Tv*	32%(±1.0%)
Ts	33%
Rs	57%
As	9%

Thickness

0.0157 in (0.4 mm)^[2]

Price

\$\$\$

Fabric Care

- Damp Cloth
- Dusting
- Vacuuming

[1] Actual performance may significantly vary. For performance critical applications, use the [Fabric Wizard Tool](#) to choose a fabric.

[2] Actual fabric thickness may vary

Disclaimer - The fabric certifications, ratings, and other properties listed above are subject to change and are neither guaranteed nor controlled by Lutron. For further information, please contact Lutron at [1.800.446.1503](tel:18004461503) or shadingcs@lutron.com.